author index

Index of Issues: January, pp 1-176; February, pp 177-344; March, pp 345-504; April, pp 505-672; May, pp 673-832; June, pp 833-992. Page numbers beginning with S denote articles in the June Pathology Patterns Reviews.

Abati, Andrea, 922 Aceituno, Esther, 952 Akbari, Majid, 723 Akino, Fumiyuki, 908 Akiyama, Futoshi, 109 Allred, Elizabeth M., 96 Almoujahed, Mohammad O., Alves-Dunkerson, Joseli A., 809 Amazit, Larbi, 210 Ambinder, Richard F., 259 Amin, Mahul B., 552 Andrew-JaJa, Carey, 524 Ansari, Saira, 783 Apperley, Jane F., 360 Arancia, Giuseppe, 484 Arber, Daniel A., 306 Argani, Pedram, 791 Ash, Owen, 683 Ashley, Rhoda L., 156 Ashwood, Edward, 683 Astill, Mark E., 589

Bach, Philip, 683 Bailey, David N., 396 Balaton, André J., 81 Ball, Greg, 716 Baloch, Zubair W., 143, 199 Baptista, Matt A., 766 Bassetti, Danila, 316 Batra, Surinder K., 791 Bayerl, Michael G., 41 Bedell, Victoria, 306 Bellido, Mar, 864 Beneke, Janet, 935 Benhattar, Jean, 451 Bentz, Joel S., 457 Berenson, James, 268

Aventín, Anna, 864

Bergman, Simon, 709 Berner, Aasmund, 225 Berrak, Su G., 644 Bialek, Ralf, 597 Bian, Yan-Song, 451 Bizzaro, Nicola, 316 Bo, Patrizia, 90 Boecklin, Federica, 360 Boldrini, Renata, 484 Bordes, Ramón, 864 Borowitz, Michael, 259 Bosman, Cesare, 484 Bosman, Fred T., 451 Brailey, Allison G., 851 Branda, John A., S116 Briggs, John R., 396 Briski, Laurence E., 771 Brosky, Keith, 922 Brousset, Pierre, 51 Brugnara, Carlo, 683 Bryne, Magne, 225 Buchwald, Dedra S., 156 Budde, Uwe, 900 Bueso-Ramos, Carlos, 252, 716 Bulian, Pietro, 871 Burlo, Paola, 90 Burritt, Mary F., 802 Buttarello, Mauro, 871

Cagle, Philip T., 9 Calduch, Luis, 126 Calvo, Benjamin F., 729 Camassei, Francesca Diomedi, 484 Cameron, John L., 791 Caplan, Aaron, S104 Cartagena, Norberto, 797 Castañón, Susana, 952 Cathro, Helen P., 944 Cesarman, Ethel, 268

Chadburn, Amy, 268 Chan, John K.C., 16, 103, 246 Chang, Alexander R., 437 Chang, Andrina, 437 Chang, Chia-Liang, 627 Chang, Sheng-hsiung, 62 Chase, Andy, 360 Chauhan, Nikhil, 892 Chen, Shiao-Yen, 429 Chen, Vicky, 783 Chen, Wei-jen, 429 Chen, Yue-hua, 627 Cheuk, Wah, 103 Choi, Tak-Shun, 74 Chong, King S., 437 Chorneyko, Katherine, 783 Chu, May, 205 Cianfriglia, Maurizio, 484 Clary, Karen M., 567 Coffin, Cheryl M., 683 Condel, Jennifer L., 534 Copeland, John N., 552 Couturier, Jérôme, 81 Craig, Fiona E., 259, 615 Cravello, Maurizio, 90 Creager, Andrew J., 217, 709 Cress, Gretchen A., 809 Cripe, Larry D., 844 Cupples, James B., 723

Dale, Jane C., 802 Dalton, Scott R., 766 Danjoux, Marie, 51 Darragh, Teresa M., 96 Dasgupta, Amitava, 325 Davey, Diane D., 517 Davidson, Ben, 225 Dekker, Wim, 117 de la Maza, Luis M., 152 de Mascarel, Antoine, 51 Denardi, Franco, 783 Derhagopian, Robert P., 797 Dhar, Sunanda, 360 Dietz, Klaus, 597 Dodson, Andrew R., 81 Donfrancesco, Alberto, 484 Douglas, Vonda K., 844 Dressler, Lynn G., 729 Drillenburg, Paul, 117 Dry, Sarah M., 424 Dubus, Pierre, 51 Dunphy, Cherie H., 24

Echeverri, Carolina, 615 Eilender, David, 41 Elavathil, Leela, 783 Elston, Dirk M., 766 Eng, Hock-Liew, 429 Enomoto, Takayuki, 738 Ernst, Friederike, 597 Estivill, Camino, 864 Evans, H. Lance, 24

Fairbanks, Virgil F., 857 Fan, Sheung T., 411 Farina, Giorgio, 871 Fehr, Jörg, 237 Filie, Armando C., 922 Finn, William G., 29, 301 Fisher, Stephen, 615 Fletcher, Christopher D.M., 188 Fohlen-Walter, Anne, 606 Fonatsch, Christa, 380 Fontolliet, Charlotte, 451 Francalanci, Paola, 484 Frankel, Wendy L., 419 Frater, John L., 776 Freedman, Steven D., S109

Frost, Michael, 738 Fujisawa, Masato, 401 Fujiwara, Mutsunori, 546

G

Gabastou, Jean-Marc, 205 Gabbert, Helmut E., 558 Gal, Anthony A., 552 Gardner, Laura J., 24 Gascovne, Randy D., 574 Geaghan, Sharon, 683 Geisinger, Kim R., 217, 709 Genega, Elizabeth M., S36 Gianini, Roberto, 738 Giesler, Ronald, 783 Gilks, C. Blake, 723 Givant-Horwitz, Vered, 225 Glaser, Sally L., 259 Glasser, Lewis, 57 Goggins, Michael, 755 Goldberg, Iris, 225 Goldblum, John R., S49 Goldman, John M., 360 Goldstein, Neal S., 471, 541, Golitz, Loren E., 276 Gong, Jerald Z., 880 Gopez, Evelyn V., 457 Gould, Edwin W., 19, 797 Grant, Dennis R., 723 Graybill, John R., 597 Green, Eric, 268 Greer, Patricia W., 205 Greer, Ryan W., 589 Greilich, Philip E., 74 Grosso, Leonard E., 24 Grzybicki, Dana Marie, 524, 534, 567 Guarner, Jeannette, 205

Hakim, Valeria M., 392 Hamaguchi, Yukio, 401 Hamilton, Marilyn S., 683 Hans, Christine P., 301 Hanson, Curtis A., 857 Harenberg, Job, 900 Haringsma, Jelle, 117 Hart, Alison R., 524 Hashimoto, Shuichi, 464 Hasserjian, Robert P., 360 Hasumi, Katsuhiko, 109 Hayes, Edward, 205 Hecht, Jonathan L., 745 Hembury, Thomas A., 574 Henry, Kristin, 360 Hernández, Jaime, 952 Hess, Jay L., 355

Guiochon-Mantel, Anne, 210

Gulley, Margaret L., 259

Hildreth, Stephen W., 589 Hill, Harry R., 589, 683 Hilsenrath, Peter E., 809 Hirai, Yasuo, 109 Ho, Chau-Hung, 36 Ho, Chi-Kuan, 36 Hoff, Elise R., 916 Hoffman, Joel M., 851 Hollingsworth, Michael A., 791 Hornick, Jason L., 188 Horvath, Eva, 478 Hotchkiss, Erin C., 819 House, Nancy, 574 Hoyer, James D., 857 Hruban, Ralph H., 755, 791 Hsi, Eric D., 574 Hsu, Hui-Chi, 36 Hsu, Su-Ming, 627 Hu, Mingxiu, 851 Huang, Chang-Yi, 36 Huh, Yang O., 644 Humphrey, Peter A., 552 Huntsman, David G., 723 Hurley, Leo B., 96

Iacocca, Mary V., 729 Ichikawa, Tsuwa, 546 Ichinoe, Masaaki, 908 Ikle, David, 306 International Workshop on Leukemia Karyotype and Prior Therapy, 306 Ito, Masafumi, 283

Jacob, Christine, 606 Jaeger, Ulrich, 380 Jarboe, Elke A., 738 Jasani, Bharat, 81 Jenkner, Alessandro, 484 Jespersen, Jorgen, 892 Jiménez, Ana María, 952 Jiménez, Antonio, 952 Jiménez-Garófano, Carmen, 952 Jiroutek, Michael R., 751 Joan-Figueroa, Alejandro, 126 Johnson, Leonard B., 771 Jones, Claudia, 880 Joste, Nancy E., 96 Jougon, Jacques, 51

Kamidono, Sadao, 401 Kansal, Rina, 29 Karandikar, Nitin J., 819 Katz, Ruth L., 644

Katzmann, Jerry A., 857

Keller, Amy, 74 Kent, Sara A., 698 Keown, Michelle, 892 Kestin, Larry L., 927 Khatib, Riad, 771 Kiely, Sharon, 524 King, David, 615 Kinnula, Vuokko L., 132 Kirchner, Thomas, 368 Knobloch, Jürgen, 597 Koch, Sandra, 900 Koga, Takaomi, 464 Koistinen, Pirjo, 132 Kopolovic, Juri, 225 Kopp, Jeffrey B., 922 Kovacs, Kalman, 478 Krane, Jeffrey F., 96 Kratz, Alexander, S104 Kristensen, Gunnar B., 225 Kroft, Steven H., 291, 819 Kroll, Martin H., 74 Kubier, Patty, 194

Lai, Raymond, 252, 716 Lakari, Essi, 132 Lampert, Irvin, 360 Lassman, Charles R., 424 LeBlanc, Victoria, 783 Lechner, Klaus, 380 Lecompte, Thomas, 606 Lee, Benita, 574 Lee, Benjamin H., 745 Lee, Kenneth R., 96 Lee, Seung-Sok, 368 Lee, Wei-Hsiang, 627 Lee, Yuan-Ming, 36 Lerner, Henrique, 392 Lesack, David W., 723 Lesesve, Jean-François, 606 Li, Chi-Cheng, 627 Liang, Xiayuan, 276 Libow, Lester F., 766 Lillemoe, Tamera J., 935 Lin, Chung-Wu, 627 Lin, Tsun-Mei, 429 Lin, Wai F., 437 Listinsky, Catherine M., S76 Litwin, Christine M., 589 Liu, Katharine, 880 Liu, Wu-Tse, 36 Liu, Yulin, 567 LiVolsi, Virginia A., 143, 199 Llombart-Bosch, Antonio, 126 Lobo, Francesca, 783 Long, Michael, 41

Macpherson, Nicol, 574 Magnani, Corrado, 90

Mahood, Laura K., 534, 567 Makar, Robert S., S95 Mann, Risa B., 259 Manoni, Fabio, 316 Manos, M. Michele, 96 Mariette, Xavier, 210 Marino, Mirella, 368 Marsh, William L., Jr., 419 Marshall, C. Jay, 457 Martinez, Alvaro A., 927 Martins, Thomas B., 589 Matsen, John M., 691 Matsuo, Yoshio, 464 McCarthy, Denis M., 755 McCormick, Stanley R., 935 McEnery, Kevin W., S3 McGlennen, Ronald C., 582 McGrath, Cindy M., S62 McKenna, Robert W., 291, 819 McKinley, Mark J., 81 Medeiros, L. Jeffrey, 252, 574, 644, 716 Meduri, Geri, 210 Meech, Sandra J., 276 Meikle, Wayne, 683 Menke, David M., 268 Merlio, Jean P., 51 Meyerson, Howard, 651 Miettinen, Markku, 183 Milgrom, Edwin, 210 Miller, Keith D., 81 Miller, Kirk D., 922 Miller, Rodney T., 194 Mitomi, Hiroyuki, 908 Mitterbauer, Gerlinde, 380 Mohamed, Anwar N., 41 Mojtahedzadeh, Sepideh, 464 Mollo, Franco, 90 Monahan, Dennis, 683 Monteagudo, Carlos, 126 Morgan, John M., 81 Müller-Hermelink, Hans Konrad, 368 Myles, Jonathan L., 916

No

No

Nos

N

Öde

Ode

Off

Oh

Oka

Oka

Ola

OII

One

Orf Orl

Ost Ost

Ott. Ott.

Ow

Pää

Pad

Pal

Par

Par

Par

Par

Peg

Per Per

Per

Pet

Pete

Pet Pia

Pic Pin

Pin Pin

Piti

Piv

Ple

Pol

Poo

Por

Por Pra

Pra

Pro

Pry

Py:

Ra Ra

Nagendra, Sanjai, 651 Najvar, Laura K., 597 Nakagawa, Atsuko, 283 Nakamura, Takatoshi, 908 Nakashima, Yutaka, 464 Nash, Jason W., 419 Natkunam, Yasedha, 636 Navabi, Hossein, 81 Navarro, Samuel, 126 Neelon, Brian H., 729 Nesland, Jahn M., 225 Ng, Irene O.L., 411 Niemann, Theodore, 419 Nogueira, Meri B., 392 Nolte, Kurt B., 205

Nomededéu, Josep F., 864 Norman, Geoff, 783 Nose, Fusako, 546

n

Ödel, Michael, 900 Odom, Lorrie F., 276 Offerhaus, G. Johan A., 117, Ohtani, Yoshimasa, 908 Okada, Hiroshi, 401 Okayasu, Isao, 546, 908

Olavarria, Eduardo, 360 Ollila, David W., 729 Onciu, Mihaela, 252, 644, 716 Orfao, Alberto, 952 Orlicky, David, 738 Osterheld, Maria-Chiara, 451 Ostrowski, Mary L., S3 Ott, German, 368 Ott, Michaela, 368 Owonikoko, Taofeek, 558

Pääkkö, Paavo, 132 Padmore, Ruth F., 29 Palutke, Margarita, 41 Parker, Robin L., 723 Parker, Sally, 360 Parrens, Marie, 51 Parwaresch, Reza, 268 Peghini, Pietro Edmondo, 237 Penz, Connie S., 857 Perea, Granada, 864 Perry, Deborah, 683 Peterson, Ellena M., 152 Peterson, LoAnn C., 698, 844 Petris, Maria Grazia, 871 Piazza, Anna, 316 Pickering, Jerry W., 589 Pinkus, Geraldine S., 745 Pinkus, Jack L., 745 Pinnar, Nat E., 751 Pitman, Martha B., 217 Piva, Elisa, 621 Plebani, Mario, 621 Poller, Leon, 892 Poon, Ronnie T.P., 411 Popplewell, Leslie, 306 Porter, Christopher R., S36 Pradella, Marco, 316 Prayson, Richard A., 776 Procop, Gary W., 916 Prysak, Michael, 771

Raab, Stephen S., 524, 534, 567 Raboni, Sonia M., 392

Pysher, Theodore J., 683

Rader, Anne E., 755 Rakozy, Christiane K., 41 Ramzy, Ibrahim, 444 Ravà, Lucilla, 484 Rea, Thomas D., 156 Rees, Martin, 558 Rego-Araujo, Joana, 864 Reich, Reuven, 225 Reinartz, John, 935 Renshaw, Andrew A., 19, 751, 797 Rhodes, Anthony, 81 Riddell, Robert, 783 Risberg, Bjørn, 225 Rizzotti, Paolo, 316 Ro. Jae Y., 552 Roberts, William, 683 Rogers, Beverly B., 683 Román, Alejandro, 952 Rosenthal, Nancy, 651 Ross, Catherine, 783 Ross, Charles W., 29, 301 Rotondo, Fabio, 478 Roux, Sophie, 210 Rowe, Leslie R., 457 Rowley, Janet D., 306 Rubiol, Enriqueta, 864 Rüdiger, Thomas, 368 Ruoff, Kathryn, S116 Russo, Joan E., 156 Rutledge, Joe, 683 Ryder, John W., 276

Sabatino, Deborah, 783 Saga, Shinsuke, 283 Said, Jonathan, 268 Säily, Marjaana, 132 Salama, Samih, 783 Sansbury, Leah B., 729 Sarbia, Mario, 558 Schaumburg-Lever, Gundula, 597 Scheithauer, Bernd W., 478 Scherr, Doris, 62 Schmidt-Gayk, Heinrich, 900 Schneider, Barbara, 380 Schnitzer, Bertram, 29, 301 Schrauth, John, 935 Schroder, M. Carl, 589 Schwarzinger, Ilse, 380 Schweiger, Jeanne, 683 Scioscia, Eugene, Jr., 524 Shek, Tony W.H., 411 Shema, Sarah J., 259 Sheridan, Brian, 783 Sherman, Mark E., 96 Shi, Chen, 74 Shiach, Caroline, 892 Shiao, Amy, 152 Shieh, Wun-Ju, 205 Shigei, Janet, 152 Shroyer, Kenneth R., 738

Shuhaibar, Hafez, 783 Sierra, Jorge, 864 Silverman, Jan F., 567 Simonitsch, Ingrid, 380 Singleton, Timothy P., 29, 301 Skallerud, Glenda, 651 Slovak, Marilyn L., 306 Smith, Terry, 716 Smoller, Bruce R., 276 So, Chi-chiu, 246 Soini, Ylermi, 132 Starostik, Petr. 368 Stitzenberg, Karyn B., 729 Stoler, Mark H., 520, 944 Sturgis, Charles D., 534, 567 Su, Wei-Juin, 36 Subirá, Dolores, 952 Sueishi, Katsuo, 464 Sugimachi, Keizo, 464 Sugio, Kenji, 464 Sugiyama, Kazuo, 109 Sugiyama, Yuko, 109 Sundwall, David, 691 Swanson, Paul E., 7 Swartz, Michael J., 791

Tallmann, Martin S., 844 Tamboli, Pheroze, 552 Tan, Grace, 152 Temporin, Valeria, 871 ten Kate, Fiebo J.W., 117 Thalhammer-Scherrer, Renate, Thome, Stephan D., 268 Thompson, L. Chesney, 738 Tiemann, Markus, 268 Tillema, Veronica, 62 Toffolo, Lucia, 871 Tonutti, Elio, 316 Torrecilha, Vivian T.G., 392 Toth, Thomas L., S95 Tozzoli, Renato, 316 Tripodi, Armando, 892 Tropé, Claes G., 225 Trost, Donald C., 851 Truong, Luan D., 444 Tsuchiya, Luine R.V., 392 Tsuji, Takumi, 401 Tubbs, Raymond R., 916 Tytgat, Guido N.J., 117

Ubeda, Josep, 864 Uzieblo, Alison, 541

van den Besselaar, Anton M. H. P., 892

van de Putte, Gregg, 225 van Felius, Lonneke, 117 van Heek, Tjarda, 755 van Lanschot, Jan B., 117 van Sandick, Johanna W., Variakojis, Daina, 698 Varshney, Grish C., 791 Vega, Francisco, 252 Velly, Jean-François, 51 Vergilio, JoAnne, 199 Vicini, Frank A., 927 Vidal, Sergio, 478 Villalta, Danilo, 316 Vo, Trieu D., 41

W

Wahed, Amer. 325 Walch, Stefan, 900 Wang, Lan, S109 Wang, Li Juan, 57 Wang, Sheng-Yuan, 36 Warnke, Roger A., 636 Weiss, Ronald L., 683, 691 Wells, Alice, 325 West, Robert B., 636 Wick, Mark R., 7 Wick, Myra J., 582 Widness, John A., 809 Wilder, Anna Maria, 922 Wilentz, Robb E., 755, 791 Williams, David C., Jr., 880 Williams, Sara A., 276 Wilson, James S., 74 Witte, Deborah, 444 Wong, Kit-fai, 246 Woronzoff-Dashkoff, Kristine P., 582 Wu, Mark Li-cheng, 424 Wu, Shing-Mian, 429

Xu, Yin, 291

Yang, Bin, 574 Yang, Ching-Fen, 36 Yeh, I-Tien, S26 Yeo, Charles J., 791 Yonemitsu, Yoshikazu, 464 Yoshino, Ichiro, 464 Young, Mary L., 751

Zajac, Michael, 360 Zaki, Sherif R., 205 Zettl, Andreas, 368 Zinsmeister, Alan R., 802

title index

Index of Issues: January, pp 1-176; February, pp 177-344; March, pp 345-504; April, pp 505-672; May, pp 673-832; June, pp 833-992. Page numbers beginning with S denote articles in the June Pathology Patterns Reviews.

ANATOMIC PATHOLOGY

Original Articles

Assessment of Interlaboratory Variation in the

Immunohistochemical Determination of Estrogen Receptor Status

Using a Breast Cancer Tissue Microarray

Robin L. Parker, David G. Huntsman, David W. Lesack, James B. Cupples, Dennis R. Grant, Majid Akbari, and C. Blake Gilks, 723

Attribution of Lung Cancers to Asbestos Exposure, The:

A Pathologic Study of 924 Unselected Cases

Franco Mollo, Corrado Magnani, Patrizia Bo, Paola Burlo, and Maurizio Cravello. 90

 $Atypical\ Glandular\ Cells\ of\ Undetermined\ Significance\ (AGUS);$

Interobserver Reproducibility in Cervical Smears and

Corresponding Thin-Layer Preparations

Kenneth R. Lee, Teresa M. Darragh, Nancy E. Joste, Jeffrey F. Krane, Mark E. Sherman, Leo B. Hurley, Elizabeth M. Allred, and M. Michele Manos, 96

beta-Catenin Expression and Its Association With Prognostic

Factors in Adenocarcinoma Developed in Barrett Esophagus

Maria-Chiara Osterheld, Yan-Song Bian, Fred T. Bosman, Jean

Benhattar, and Charlotte Fontolliet, 451

Can Technology Expedite the Cervical Cancer Screening Process?

A Hong Kong Experience Using the AutoPap Primary Screening

System With Location-Guided Screening Capability

Alexander R. Chang, Wai F. Lin, Andrina Chang, and King S. Chong, 437

Caveolin-1 Expression in Ovarian Carcinoma Is MDR1 Independent Ben Davidson, Iris Goldberg, Vered Givant-Horwitz, Jahn M. Nesland, Aasmund Berner, Magne Bryne, Bjørn Risberg, Juri Kopolovic, Gunnar B. Kristensen, Claes G. Tropé, Gregg van de Putte, and Reuven Reich, 225

CD99 Immunoreactivity in Atypical Fibroxanthoma: A Common Feature of Diagnostic Value

Carlos Monteagudo, Luis Calduch, Samuel Navarro, Alejandro Joan-Figueroa, and Antonio Llombart-Bosch, 126

Clinicopathologic and Prognostic Significance of the Histologic

Activity of Noncancerous Liver Tissue in Hepatitis B

Virus-Associated Hepatocellular Carcinoma

Irene O.L. Ng, Ronnie T.P. Poon, Tony W.H. Shek, and Sheung T. Fan, 411

Cytohistologic Discrepancies: A Means to Improve Pathology Practice and Patient Outcomes

Karen M. Clary, Jan F. Silverman, Yulin Liu, Charles D. Sturgis, Dana M. Grzybicki, Laura K. Mahood, and Stephen S. Raab, 567 Cytokeratin Immunohistochemical Validation of the Sentinel Node Hypothesis in Patients With Breast Cancer HUC

In H

In

Fi

M

H

R

H

SI

D

Karyn B. Stitzenberg, Benjamin F. Calvo, Mary V. Iacocca, Brian H. Neelon, Leah B. Sansbury, Lynn G. Dressler, and David W. Ollila, 729

Cytologic Features of Clear Cell Sarcoma (Malignant Melanoma) of Soft Parts: A Study of Fine-Needle Aspirates and Exfoliative Specimens

Andrew J. Creager, Martha B. Pitman, and Kim R. Geisinger, 217 Deeper Examination of Negative Colorectal Biopsies

Mark Li-cheng Wu, Sarah M. Dry, and Charles R. Lassman, 424

Expression of Cytokeratins 7 and 20 in Ovarian Neoplasia

Helen P. Cathro and Mark H. Stoler, 944

Failure to Detect Human Papillomavirus DNA in Malignant

Epithelial Neoplasms of Conjunctiva by Polymerase Chain Reaction Hock-Liew Eng, Tsun-Mei Lin, Shiao-Yen Chen, Shing-Mian Wu, and Wei-jen Chen, 429

Flow Cytometric Analysis of Cerebrospinal Fluid Samples and Its Usefulness in Routine Clinical Practice

Dolores Subirá, Susana Castañón, Esther Aceituno, Jaime Hernández, Carmen Jiménez-Garófano, Antonio Jiménez, Ana María Jiménez, Alejandro Román, and Alberto Orfao, 952

Formalin-Fixed, Paraffin-Processed Cell Line Standard for Quality Control of Immunohistochemical Assay of HER-2/neu Expression in Breast Cancer, A

Anthony Rhodes, Bharat Jasani, Jérôme Couturier, Mark J. McKinley, John M. Morgan, Andrew R. Dodson, Hossein Navabi, Keith D. Miller, and André J. Balaton, 81

HER2 Assessment by Immunohistochemical Analysis and Fluorescence In Situ Hybridization: Comparison of HercepTest and

PathVysion Commercial Assays

Stanley R. McCormick, Tamera J. Lillemoe, Janet Beneke, John Schrauth, and John Reinartz, 935

HER2/neu Amplification in Breast Cancer: Stratification by Tumor Type and Grade

Elise R. Hoff, Raymond R. Tubbs, Jonathan L. Myles, and Gary W. Procop, 916

High Apoptotic Activity and Low Epithelial Cell Proliferation With Underexpression of $p21^{WAF1/CIP1}$ and $p27^{Kip1}$ of Mucinous Carcinomas of the Colorectum: Comparison With Well-

Differentiated Type

Fumiyuki Akino, Hiroyuki Mitomi, Takatoshi Nakamura, Yoshimasa Ohtani, Masaaki Ichinoe, and Isao Okayasu, 908 Immunocytochemical Localization of Mast Cells in Lymphocytic Hypophysitis

Sergio Vidal, Fabio Rotondo, Eva Horvath, Kalman Kovacs, and Bernd W. Scheithauer, 478

Immunohistochemical Detection of Yersinia pestis in Formalin-Fixed, Paraffin-Embedded Tissue

Jeannette Guarner, Wun-Ju Shieh, Patricia W. Greer, Jean-Marc Gabastou, May Chu, Edward Hayes, Kurt B. Nolte, and Sherif R. Zaki, 205

Immunohistochemical Localization of Survivin in Benign Cervical Mucosa, Cervical Dysplasia, and Invasive Squamous Cell Carcinoma Michael Frost, Elke A. Jarboe, David Orlicky, Roberto Gianani, L. Chesney Thompson, Takayuki Enomoto, and Kenneth R. Shroyer, 738

Immunohistochemical Staining for KIT (CD117) in Soft Tissue Sarcomas Is Very Limited in Distribution

Jason L. Hornick and Christopher D.M. Fletcher, 188 Immunophenotypic Characterization of 225 Prostate

Adenocarcinomas With Intermediate or High Gleason Scores Neal S. Goldstein, 471

Inducible Nitric Oxide Synthase, but Not Xanthine Oxidase, Is Highly Expressed in Interstitial Pneumonias and Granulomatous Diseases of Human Lung

Essi Lakari, Ylermi Soini, Marjaana Säily, Pirjo Koistinen, Paavo Pääkkö, and Vuokko L. Kinnula, 132

Influence of Percentage of Preradiation Needle Biopsies With Adenocarcinoma and Total Radiation Dose on the Pathologic

Response of Unfavorable Prostate Adenocarcinoma, The Neal S. Goldstein, Larry L. Kestin, Frank A. Vicini, and Alvaro A. Martinez, 927

Intestinal Metaplasia of the Esophagus or Esophagogastric Junction: Evidence of Distinct Clinical, Pathologic, and Histochemical Staining Features

Johanna W. van Sandick, J. Jan B. van Lanschot, Lonneke van Felius, Jelle Haringsma, Guido N.J. Tytgat, Wim Dekker, Paul Drillenburg, G. Johan A. Offerhaus, and Fiebo J.W. ten Kate, 117

Intratumoral Genetic Heterogeneity in Barrett Adenocarcinoma Taofeek Owonikoko, Martin Rees, Helmut E. Gabbert, and Mario Sarbia, 558

K-ras, p53, and DPC4 (MAD4) Alterations in Fine-Needle Aspirates of the Pancreas: A Molecular Panel Correlates With and Supplements Cytologic Diagnosis

Tjarda van Heek, Anne E. Rader, G. Johan A. Offerhaus, Denis M. McCarthy, Michael Goggins, Ralph H. Hruban, and Robb E. Wilentz, 755

Kuttner Tumor of the Submandibular Gland: Fine-Needle Aspiration Cytologic Findings of Seven Cases Wah Cheuk and John K.C. Chan, 103

Lichenoid Tissue Reaction in Malignant Melanoma: A Potential Diagnostic Pitfall

Scott R. Dalton, Matt A. Baptista, Lester F. Libow, and Dirk M. Elston, 766

Lobular Neoplasia in Breast Core Needle Biopsy Specimens Is Not Associated With an Increased Risk of Ductal Carcinoma In Situ or Invasive Carcinoma

Andrew A. Renshaw, Norberto Cartagena, Robert P. Derhagopian, and Edwin W. Gould, 797

Lung Adenocarcinoma With Bronchioloalveolar Carcinoma Component Is Frequently Associated With Foci of High-Grade Atypical Adenomatous Hyperplasia

Takaomi Koga, Shuichi Hashimoto, Kenji Sugio, Yoshikazu Yonemitsu, Yutaka Nakashima, Ichiro Yoshino, Yoshio Matsuo. Sepideh Mojtahedzadeh, Keizo Sugimachi, and Katsuo Sueishi, 464 Microdissection Is Essential for Gene Expression Profiling of Clinically Resected Cancer Tissues

Yuko Sugiyama, Kazuo Sugiyama, Yasuo Hirai, Futoshi Akiyama, and Katsuhiko Hasumi, 109

Morphologic Spectrum of Metastatic Prostatic Adenocarcinoma to the Lung, The: Special Emphasis on Histologic Features Overlapping With Other Pulmonary Neoplasms

John N. Copeland, Mahul B. Amin, Peter A. Humphrey, Pheroze Tamboli, Jae Y. Ro, and Anthony A. Gal, 552

MUC4 Expression Increases Progressively in Pancreatic Intraepithelial Neoplasia

Michael J. Swartz, Surinder K. Batra, Grish C. Varshney, Michael A. Hollingsworth, Charles J. Yeo, John L. Cameron, Robb E. Wilentz, Ralph H. Hruban, and Pedram Argani, 791

Nephroblastoma: Multidrug-Resistance P-Glycoprotein Expression in Tumor Cells and Intratumoral Capillary Endothelial Cells Francesca Diomedi Camassei, Giuseppe Arancia, Maurizio Cianfriglia, Cesare Bosman, Paola Francalanci, Lucilla Ravà, Alessandro Jenkner, Alberto Donfrancesco, and Renata

Boldrini, 484 Papanicolaou Tests Diagnosed as Atypical by a Cytotechnologist and Downgraded to Benign by a Pathologist: A Measure of Laboratory Quality

Jennifer L. Condel, Laura K. Mahood, Dana M. Grzybicki, Charles D. Sturgis, and Stephen S. Raab, 534

Primary Cutaneous Diffuse Large B-Cell Lymphoma: A Clinicopathologic Study of 15 Cases

Thomas A. Hembury, Benita Lee, Randy D. Gascoyne, Nicol Macpherson, Bin Yang, Nancy House, L. Jeffrey Medeiros, and Eric D. Hsi, 574

Quantifying the Value of In-house Consultation in Surgical Pathology Andrew A. Renshaw, Nat E. Pinnar, Michael R. Jiroutek, and Mary L. Young, 751

RANK (Receptor Activator of Nuclear Factor kappa B) and RANK Ligand Are Expressed in Giant Cell Tumors of Bone Sophie Roux, Larbi Amazit, Geri Meduri, Anne Guiochon-Mantel, Edwin Milgrom, and Xavier Mariette, 210

Rasmussen Encephalitis: A Clinicopathologic and Immunohistochemical Study of Seven Patients

Richard A. Prayson and John L. Frater, 776

Spindle Cell Metaplasia of the Thyroid Arising in Association With Papillary Carcinoma and Follicular Adenoma

JoAnne Vergilio, Zubair W. Baloch, and Virginia A. LiVolsi, 199

Telepathology for Routine Light Microscopic and Frozen Section Diagnosis

Katherine Chorneyko, Ronald Giesler, Deborah Sabatino, Catherine Ross, Francesca Lobo, Hafez Shuhaibar, Vicky Chen, Leela Elavathil, Franco Denardi, Saira Ansari, Samih Salama, Victoria LeBlanc, Geoff Norman, Brian Sheridan, and Robert Riddell, 783

Tissue Protection Immunohistochemistry: A Useful Adjunct in the Interpretation of Prostate Biopsy Specimens and Other Selected

Cases in Which Immunostains Are Needed on Minute Lesions
Patty Kubier and Rodney T. Miller, 194

To Step or Not to Step: An Approach to Clinically Diagnosed Polyps With No Initial Pathologic Finding

Jason W. Nash, Theodore Niemann, William L. Marsh, Jr, and Wendy L. Frankel, 419

Transitional Cell Carcinoma of the Renal Pelvis: The Diagnostic Role of Pelvic Washings

Deborah Witte, Luan D. Truong, and Ibrahim Ramzy, 444
Unsatisfactory ThinPrep Pap Test, The: Missed Opportunity for Disease Detection?

Joel S. Bentz, Leslie R. Rowe, Evelyn V. Gopez, and C. Jay Marshall, 457

Up-Regulation of Cyclooxygenase-2 Expression in Lymphocytic Thyroiditis and Thyroid Tumors: Significant Correlation With Inducible Nitric Oxide Synthase

Fusako Nose, Tsuwa Ichikawa, Mutsunori Fujiwara, and Isao Okayasu, 546

Urinary Cytology Associated With Human Polyomavirus and Indinavir Therapy in HIV-Infected Patients

Armando C. Filie, Anna Maria Wilder, Keith Brosky, Jeffrey B. Kopp, Kirk D. Miller, and Andrea Abati, 922

Uterine Granulomas: Clinical and Pathologic Features

Mohammad O. Almoujahed, Laurence E. Briski, Michael

Prysak, Leonard B. Johnson, and Riad Khatib, 771

Willingness to Pay for New Papanicolaou Test Technologies

Stephen S. Raab, Dana Marie Grzybicki, Alison R. Hart, Sharon
Kiely, Carey Andrew-JaJa, and Eugene Scioscia, Jr, 524

WT1, Estrogen Receptor, and Progesterone Receptor as Markers for Breast or Ovarian Primary Sites in Metastatic Adenocarcinoma to Body Fluids

Benjamin H. Lee, Jonathan L. Hecht, Jack L. Pinkus, and Geraldine S. Pinkus, 745

WT1 Immunoreactivity in Uterine Papillary Serous Carcinomas Is Different From Ovarian Serous Carcinomas

Neal S. Goldstein and Alison Uzieblo, 541

Review Article

Follicular-Patterned Lesions of the Thyroid: The Bane of the Pathologist

Zubair W. Baloch and Virginia A. LiVolsi, 143

CLINICAL CHEMISTRY

Original Articles

Automated Sperm Concentration Analysis With a New Flow Cytometry-Based Device, S-FCM

Takumi Tsuji, Hiroshi Okada, Masato Fujisawa, Yukio Hamaguchi, and Sadao Kamidono, 401 SI

Fo

Ta

A

To

W

0

R

L

В

Carisoprodol: An Unrecognized Drug of Abuse David N. Bailey and John R. Briggs, 396

Cost Analysis of a Neonatal Point-of-Care Monitor Joseli A. Alves-Dunkerson, Peter E. Hilsenrath, Gretchen A. Cress, and John A. Widness, 809

Diurnal Variation of Serum Iron, Iron-Binding Capacity, Transferrin Saturation, and Ferritin Levels

Jane C. Dale, Mary F. Burritt, and Alan R. Zinsmeister, 802 Rapid Spot Tests for Detecting the Presence of Adulterants in Urine Specimens Submitted for Drug Testing

Amitava Dasgupta, Amer Wahed, and Alice Wells, 325

Review Article

Guidelines for the Laboratory Use of Autoantibody Tests in the Diagnosis and Monitoring of Autoimmune Rheumatic Diseases

Renato Tozzoli, Nicola Bizzaro, Elio Tonutti, Danilo Villalta, Danila Bassetti, Fabio Manoni, Anna Piazza, Marco Pradella, and Paolo Rizzotti. 316

COAGULATION AND TRANSFUSION MEDICINE

Original Articles

Development of a High-Pressure Liquid Chromatography Method for Diagnosis of Heparin-Induced Thrombocytopenia Sandra Koch, Job Harenberg, Michael Ödel, Heinrich Schmidt-Gayk, Stefan Walch, and Uwe Budde, 900

Minimum Numbers of Fresh Whole Blood and Plasma Samples From Patients and Healthy Subjects for ISI Calibration of

CoaguChek and RapidPointCoag Monitors

Leon Poller, Michelle Keown, Nikhil Chauhan, Anton M.H.P.
van den Besselaar, Armando Tripodi, Jorgen Jespersen, and
Caroline Shiach, 892

"Percent Correction" Formula for Evaluation of Mixing Studies, A Sheng-hsiung Chang, Veronica Tillema, and Doris Scherr, 62 Point-of-Care Testing for Prothrombin Time, but Not Activated Partial Thromboplastin Time, Correlates With Laboratory Methods in Patients Receiving Aprotinin or epsilon-Aminocaproic Acid While Undergoing Cardiac Surgery

Tak-Shun Choi, Philip E. Greilich, Chen Shi, James S. Wilson, Amy Keller, and Martin H. Kroll, 74

EDITORIALS

Advent of Targeted Therapeutics and Implications for Pathologists, The

Jay L. Hess, 355

Advocating for Patient Preference in Cervical Cytology Screening Diane D. Davey, 517

Criteria for Attributing Lung Cancer to Asbestos Exposure Philip T. Cagle, 9

New Challenges in the Identification of Gastrointestinal Stromal Tumors and Other Possible KIT-Driven Tumors Markku Miettinen. 183 Strict Criteria Should Be Applied in the Diagnosis of Encapsulated Follicular Variant of Papillary Thyroid Carcinoma

John K.C. Chan, 16

Targeted Controls in Clinical Immunohistochemistry: A Useful Approach to Quality Assurance

Mark R. Wick and Paul E. Swanson, 7

Toward Objective Quality Assurance: The Eyes Don't Have It Mark H. Stoler, 520

Why There Is the Tendency to "Overdiagnose" the Follicular Variant of Papillary Thyroid Carcinoma

Andrew A. Renshaw and Edwin W. Gould. 19

HEMATOPATHOLOGY

Original Articles

Acute Lymphoblastic Leukemia in Elderly Patients: The Philadelphia Chromosome May Not Be a Significant Adverse Prognostic Factor

Mihaela Onciu, Carlos Bueso-Ramos, L. Jeffrey Medeiros, Greg Ball, Terry Smith, and Raymond Lai, 716

Analysis of Cyclin D1 Expression by Quantitative Real-Time Reverse Transcription-Polymerase Chain Reaction in the Diagnosis of Mantle Cell Lymphoma

Pietro Edmondo Peghini and Jörg Fehr, 237

Analysis of the Human Herpesvirus 8 (HHV-8) Genome and HHV-8 vIL-6 Expression in Archival Cases of Castleman Disease at Low Risk for HIV Infection

David M. Menke, Amy Chadburn, Ethel Cesarman, Eric Green, James Berenson, Jonathan Said, Markus Tiemann, Reza Parwaresch, and Stephan D. Thome, 268

Assessment of CD10 in the Diagnosis of Small B-Cell Lymphomas: A Multiparameter Flow Cytometric Study

Yin Xu, Robert W. McKenna, and Steven H. Kroft, 291

Association of Expression of CD44v6 With Systemic Anaplastic

Large Cell Lymphoma: Comparison With Primary Cutaneous Anaplastic Large Cell Lymphoma

Xiayuan Liang, Loren E. Golitz, Bruce R. Smoller, Sandra J. Meech, Lorrie F. Odom, Sara A. Williams, and John W. Ryder, 276

Blastic Natural Killer Cell Lymphoma/Leukemia: A Report of Seven Cases

Michael G. Bayerl, Christiane K. Rakozy, Anwar N. Mohamed, Trieu D. Vo, Michael Long, David Eilender, and Margarita Palutke, 41

Bone Marrow Samples From Patients With Aplastic Anemia Are Not Infected With Parvovirus B19 and Mycobacterium tuberculosis Hui-Chi Hsu, Yuan-Ming Lee, Wei-Juin Su, Chang-Yi Huang, Ching-Fen Yang, Chi-Kuan Ho, Chau-Hung Ho, Sheng-Yuan Wang, and Wu-Tse Liu, 36

Clonal Heterogeneity Assessed by Flow Cytometry in B-Cell Lymphomas Arising From Germinal Centers

Mar Bellido, Enriqueta Rubiol, Josep Ubeda, Camino Estivill, Granada Perea, Joana Rego-Araujo, Anna Aventín, Ramón Bordes, Jorge Sierra, and Josep F. Nomdedéu, 864

Comparative Study of Marginal Zone Lymphoma Involving Bone Marrow

Sara A. Kent, Daina Variakojis, and LoAnn C. Peterson, 698

Discrepancies in the Immunophenotype of Lymphoma Cells in Samples Obtained Simultaneously From Different Anatomic

Mihaela Onciu, Su G. Berrak, L. Jeffrey Medeiros, Ruth L. Katz, and Yang O. Huh, 644

Epstein-Barr Virus-Associated B-Cell Lymphoproliferative Disorders in Angioimmunoblastic T-Cell Lymphoma and

Peripheral T-Cell Lymphoma, Unspecified

Andreas Zettl, Seung-Sok Lee, Thomas Rüdiger, Petr Starostik, Mirella Marino, Thomas Kirchner, Michaela Ott, Hans Konrad Müller-Hermelink, and German Ott, 368

Erythrocyte Sedimentation Rate: Use of Fresh Blood for Quality Control

Mario Plebani and Elisa Piva, 621

Fatal Cytotoxic T-Cell Proliferation in Chronic Active Epstein-Barr Virus Infection in Childhood

Atsuko Nakagawa, Masafumi Ito, and Shinsuke Saga, 283

Fine-Needle Aspiration in Non-Hodgkin Lymphoma: Evaluation of Cell Size by Cytomorphology and Flow Cytometry

Jerald Z. Gong, David C. Williams, Jr, Katharine Liu, and Claudia Jones, 880

Five Fully Automated Methods for Performing Immature Reticulocyte Fraction: Comparison in Diagnosis of Bone Marrow Aplasia

Mauro Buttarello, Pietro Bulian, Giorgio Farina, Maria Grazia Petris, Valeria Temporin, and Lucia Toffolo, 871

Flow Cytometric Immunophenotyping in Posttransplant Lymphoproliterative Disorders

Cherie H. Dunphy, Laura J. Gardner, Leonard E. Grosso, and H. Lance Evans, 24

Flow Cytometric Measurement of Hemoglobin F in RBCs: Diagnostic Usefulness in the Distinction of Hereditary Persistence of Fetal Hemoglobin (HPFH) and Hemoglobin S-HPFH From

Other Conditions With Elevated Levels of Hemoglobin F James D. Hoyer, Connie S. Penz, Virgil F. Fairbanks, Curtis A. Hanson, and Jerry A. Katzmann, 857

Follicular Hodgkin Lymphoma: A Histopathologic Study Rina Kansal, Timothy P. Singleton, Charles W. Ross, William G. Finn, Ruth F. Padmore, and Bertram Schnitzer, 29

Guidelines for Interpreting EBER In Situ Hybridization and LMP1 Immunohistochemical Tests for Detecting Epstein-Barr Virus in Hodgkin Lymphoma

Margaret L. Gulley, Sally L. Glaser, Fiona E. Craig, Michael Borowitz, Risa B. Mann, Sarah J. Shema, and Richard F. Ambinder, 259

Immunophenotype of 325 Adult Acute Leukemias, The: Relationship to Morphologic and Molecular Classification and Proposal for a Minimal Screening Program Highly Predictive for Lineage Discrimination

Renate Thalhammer-Scherrer, Gerlinde Mitterbauer, Ingrid Simonitsch, Ulrich Jaeger, Klaus Lechner, Barbara Schneider, Christa Fonatsch, and Ilse Schwarzinger, 380

Immunophenotypic Variability of B-Cell Non-Hodgkin Lymphoma: A Retrospective Study of Cases Analyzed by Flow Cytometry Carolina Echeverri, Stephen Fisher, David King, and Fiona E. Craig, 615

Laboratory Identification of Cryoglobulinemia From Automated Blood Cell Counts, Fresh Blood Samples, and Blood Films

Anne Fohlen-Walter, Christine Jacob, Thomas Lecompte, and Jean-François Lesesve, 606

Leukemias Resembling Acute Promyelocytic Leukemia,

Microgranular Variant

Sanjai Nagendra, Howard Meyerson, Glenda Skallerud, and Nancy Rosenthal, 651

Mucosa-Associated Lymphoid Tissue of the Thymus: Hyperplasia vs Lymphoma

Marie Parrens, Pierre Dubus, Marie Danjoux, Jacques Jougon, Pierre Brousset, Jean-François Velly, Antoine de Mascarel, and Jean P. Merlio, 51

Neutrophil-Rich Ki-1-Positive Anaplastic Large Cell Lymphoma: A Study by Fine-Needle Aspiration Biopsy

Andrew J. Creager, Kim R. Geisinger, and Simon Bergman, 709 Nucleolated Variant of Mantle Cell Lymphoma With Leukemic

Manifestations Mimicking Prolymphocytic Leukemia

Kit-fai Wong, Chi-chiu So, and John K.C. Chan, 246

Precursor T-Cell Acute Lymphoblastic Leukemia in Adults:

Age-Related Immunophenotypic, Cytogenetic, and Molecular Subsets

Mihaela Onciu, Raymond Lai, Francisco Vega, Carlos Bueso-Ramos, and L. Jeffrey Medeiros, 252

Probability-Based Construction of Reference Ranges for Ratios of Log-Gaussian Analytes: An Example From Automated Leukocyte Counts

Donald C. Trost, Mingxiu Hu, Allison G. Brailey, and Joel M. Hoffman, 851

Spontaneous Regression of Kikuchi Lymphadenopathy With Oligoclonal T-Cell Populations Favors a Benign Immune Reaction Over a T-Cell Lymphoma

Chung-Wu Lin, Chia-Liang Chang, Chi-Cheng Li, Yue-hua Chen, Wei-Hsiang Lee, and Su-Ming Hsu, 627

Spurious Dyserythropoiesis

Li Juan Wang and Lewis Glasser, 57

STI571 (Imatinib Mesylate) Reduces Bone Marrow Cellularity and Normalizes Morphologic Features Irrespective of Cytogenetic Response Robert P. Hasserjian, Federica Boecklin, Sally Parker, Andy Chase, Sunanda Dhar, Michael Zaiac, Eduardo Olavarria, Irvin Lampert, Kristin Henry, Jane F. Apperley, and John M. Goldman, 360

Therapy-Related Acute Myeloid Leukemia/Myelodysplasia With Balanced 21q22 Translocations

Daniel A. Arber, Marilyn L. Slovak, Leslie Popplewell, Victoria Bedell, David Ikle, and Janet D. Rowley, 306

Thrombopoietin Administered During Induction Chemotherapy to Patients With Acute Myeloid Leukemia Induces Transient

Morphologic Changes That May Resemble Chronic

Morphologic Changes That Way Resemble Chron

Myeloproliferative Disorders

Vonda K. Douglas, Martin S. Tallman, Larry D. Cripe, and LoAnn C. Peterson, 844

Usefulness of Anti-CD117 in the Flow Cytometric Analysis of Acute Leukemia

Christine P. Hans, William G. Finn, Timothy P. Singleton, Bertram Schnitzer, and Charles W. Ross, 301 Usefulness of Immunohistochemistry in the Diagnosis of Follicular Lymphoma in Bone Marrow Biopsy Specimens, The Robert B. West, Roger A. Warnke, and Yasodha Natkunam, 636

IMMUNOPATHOLOGY

Original Article

Transient Stress Lymphocytosis: An Immunophenotypic Characterization of the Most Common Cause of Newly Identified Adult Lymphocytosis in a Tertiary Hospita!

Nitin J. Karandikar, Erin C. Hotchkiss, Robert W. McKenna, and Steven H. Kroft, 819

MICROBIOLOGY AND INFECTIOUS DISEASE

Original Articles

Comparison of Latex Agglutination With Enzyme Immunoassay for Detection of Rotavirus in Fecal Specimens

Sonia M. Raboni, Meri B. Nogueira, Valeria M. Hakim, Vivian T.G. Torrecilha, Henrique Lerner, and Luine R.V. Tsuchiya, 392

Comparison of Staining Methods and a Nested PCR Assay to

Detect Histoplasma capsulatum in Tissue Sections

Ralf Bialek, Friederike Ernst, Klaus Dietz, Laura K. Najvar, Jürgen Knobloch, John R. Graybill, and Gundula Schaumburg-Lever, 597

Comparison of Two Commercially Available Selective Media to Screen for Vancomycin-Resistant Enterococci

Janet Shigei, Grace Tan, Amy Shiao, Luis M. de la Maza, and Ellena M. Peterson, 152

Molecular Characterization of Fatal Infectious Mononucleosis, The Myra J. Wick, Kristine P. Woronzoff-Dashkoff, and Ronald C. McGlennen, 582

Multiplexed Fluorescent Microsphere Immunoassay for Antibodies to Pneumococcal Capsular Polysaccharides, A

Jerry W. Pickering, Thomas B. Martins, Ryan W. Greer, M. Carl Schroder, Mark E. Astill, Christine M. Litwin, Stephen W. Hildreth, and Harry R. Hill, 589

Systematic Study of Epstein-Barr Virus Serologic Assays Following Acute Infection, A

Thomas D. Rea, Rhoda L. Ashley, Joan E. Russo, and Dedra S. Buchwald, 156

PATHOLOGY PATTERNS REVIEWS

ASCUS in Papanicolaou Smears: Problems, Controversies, and Potential Future Directions

Cindy M. McGrath, S62

Bioterrorism: Clinical Recognition and Primary Management John A. Branda and Kathryn Ruoff, S116

Cartilaginous Lesions of the Skeleton

Mary L. Ostrowski and Kevin W. McEnery, S3

Evaluation of Infertility, The

Robert S. Makar and Thomas L. Toth, \$95

Gastrointestinal Stromal Tumors: A Review of Characteristic

Morphologic, Immunohistochemical, and Molecular Genetic Features *John R. Goldblum*, S49

0

- Immunohistochemistry, FISH, or ELISA? I-Tien Yeh, S26
- Laboratory Tests for the Diagnosis of Cystic Fibrosis Lan Wang and Steven D. Freedman, \$109
- Measuring HER-2 in Breast Cancer: Practical Approach to the
- Diagnosis of Hodgkin Lymphoma, A Catherine M. Listinsky, S76
- Prostate-Specific Antigen and the Early Diagnosis of Prostate Cancer Aaron Caplan and Alexander Kratz, \$104
- Urothelial Neoplasms of the Kidney and Ureter: An Epidemiologic, Pathologic, and Clinical Review
 - Elizabeth M. Genega and Christopher R. Porter, S36

SPECIAL ARTICLES

- Estimating the Budgetary Impact of Setting the Medicare Clinical Laboratory Fee Schedule at the National Limitation Amount Ronald L. Weiss, David Sundwall, and John M. Matsen, 691 Pediatric Laboratory Medicine: Current Challenges and Future Opportunities
 - Cheryl M. Coffin, Marilyn S. Hamilton, Theodore J. Pysher, Philip Bach, Edward Ashwood, Jeanne Schweiger, Dennis Monahan, Deborah Perry, Beverly B. Rogers, Carlo Brugnara, Joe Rutledge, Ronald Weiss, Owen Ash, Harry Hill, Wayne Meikle, William Roberts, and Sharon Geaghan, 683

subject index

Index of Issues: January, pp 1-176; February, pp 177-344; March, pp 345-504; April, pp 505-672; May, pp 673-832; June, pp 833-992. Page numbers beginning with S denote articles in the June Pathology Patterns Reviews.

A

Abstracts of Papers, 330, 981

Acetic acid, glacial, for reprocessing unsatisfactory ThinPrep specimens, 457

Activated partial thromboplastin time

a "percentage correction" formula for evaluation of mixing studies, 62

point-of-care testing for prothrombin time, but not, correlates with laboratory methods in patients receiving aprotinin or epsilon-aminocaproic acid while undergoing cardiac surgery, 74

Adenocarcinoma

developed in Barrett esophagus

beta-catenin expression and its association with prognostic factors in, 451

intratumoral genetic heterogeneity in Barrett, 558

of lung. See Lung: adenocarcinoma of metastatic, to body fluids, WT1, estrogen receptor, and progesterone receptor as markers for breast or ovarian primary sites, 745

of pancreas, MUC4 expression increases progressively in pancreatic intraepithelial neoplasia, 791

of prostate. See Prostate cancer: adenocarcinoma

Adenoma

colonic polyps with no initial pathologic finding, an approach to, 419

negative colorectal biopsies, deeper examination of, 424 spindle cell metaplasia of thyroid, arising in association with papillary carcinoma and follicular, 199

Aged, the, acute lymphoblastic leukemia in, Philadelphia chromosome may not be significant adverse prognostic factor, 716

All-trans-retinoic acid, and leukemias resembling acute promyelocytic leukemia, microgranular variant, 651

Alveolitis, allergic, inducible nitric oxide synthase, but not xanthine oxidase, as highly expressed in interstitial pneumonia and granulomatous diseases of human lung, 132

epsilon-Aminocaproic acid, point-of-care testing for prothrombin time, but not activated partial thromboplastin time, correlates with laboratory methods in patients receiving aprotinin or, while undergoing cardiac surgery, 74

AML1 gene, therapy-related acute myeloid leukemia and myelodysplasia, with balanced 21q22 translocations, 306 Analytes, log-gaussian, probability-based construction of reference ranges for ratios of, an example from automated leukocyte counts, 851 At

B

Be

B

E

Analytic factors, in pediatric laboratory medicine, 685

Anatomic pathology, in-house consultation in surgical pathology, quantifying value of, 751

Anemia

aplastic, bone marrow samples from patients with, as not infected with parvovirus B19 and *Mycobacterium tuberculosis*, 36 neonatal point-of-care monitor, cost analysis of, 809

serum iron, iron-binding capacity, transferrin saturation, and ferritin levels, diurnal variation of, 802

Angiogenesis, immunocytochemical localization of mast cells in lymphocytic hypophysitis, 478

Anorectal gastrointestinal stromal tumors, \$55

Anthrax, in bioterrorism, \$116

Antinuclear antibodies, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of autoimmune rheumatic diseases, 316

Antioxidants, inducible nitric oxide synthase, but not xanthine oxidase, as highly expressed in interstitial pneumonia and granulomatous diseases of human lung, 132

Apoptosis

high apoptotic activity and low epithelial cell proliferation with underexpression of p21^{WAF1/CIP1} and p27^{Kip1} of mucinous carcinomas of the colorectum, comparison with well-differentiated types, 908

immunohistochemical localization of survivin in benign cervical mucosa, cervical dysplasia, and invasive squamous cell carcinoma, 738

Aprotinin, point-of-care testing for prothrombin time, but not activated partial thromboplastin time, correlates with laboratory methods in patients receiving epsilon-aminocaproic acid or, while undergoing cardiac surgery, 74

Asbestos, lung cancers attributed to, a pathologic study of 924 unselected cases, 9, 90

Asbestosis, and asbestos exposure in lung cancer, 9, 90

Atypical glandular cells of undetermined significance (AGUS) interobserver reproducibility in cervical smears and corresponding thin-layer preparations, 96

Papanicolaou tests diagnosed as atypical by cytotechnologist and downgraded to benign by pathologist, 520, 534 Atypical metaplastic cells, ASCUS in Papanicolaou smear, problems, controversies, and potential future directions, S62

Atypical squamous cells of undetermined significance (ASCUS) in Papanicolaou smears, problems, controversies, and potential future directions, S62

Papanicolaou tests diagnosed as atypical by cytotechnologist and downgraded to benign by pathologist, 520, 534

Autoimmune disorders, rheumatic diseases, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of, 316 Automation

of blood cell counts, laboratory identification of cryoglobulinemia from, 606

of cervical cancer screening, expediting process for, a Hong Kong experience using AutoPap primary screening system with location-guided screening capability, 437

of immature reticulocyte fraction, comparison of five methods in diagnosis of bone marrow aplasia, 871

of sperm concentration analysis with new flow cytometry-based device, S-FCM, 401

Autonomic nerve tumors, gastrointestinal, S58

AutoPap primary screening system, 437

E

Bacillus anthracis, in bioterrorism, \$116

Barrett esophagus

beta-catenin expression and its association with prognostic factors in adenocarcinoma developed in, 451 and intestinal metaplasia in the esophagus, 117

intratumoral genetic heterogeneity in, 558

bcl-2

expression in primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases, 574

follicular lymphoma diagnosis from bone marrow biopsy specimens, immunohistochemistry's usefulness in, 636

bcl-6

er-

cal

огу

d-

ind

logy

expression in primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases, 574

follicular lymphoma diagnosis from bone marrow biopsy specimens, immunohistochemistry's usefulness in, 636

Bethesda System, ASCUS in Papanicolaou smear, problems, controversies, and potential future directions, S62

Bioterrorism, clinical recognition and primary management of, S116 Bizarre parosteal osteochondromatous proliferation (Nora lesion), S18

BK virus, hemorrhagic cystitis associated with, in HIV-infected patients, 922

Blood cell counts, automated, laboratory identification of cryoglobulinemia from, 606

Blood films, laboratory identification of cryoglobulinemia from, $606\,$

Blood testing, neonatal point-of-care monitor, cost analysis of, 809
Body fluids, WT1, estrogen receptor, and progesterone receptor as
markers for breast or ovarian primary sites in metastatic
adenocarcinoma to, 745

Bone marrow

aplasia, five fully automated methods for performing immature reticulocyte fraction, comparison in diagnosis of, 871 from aplastic anemia patients, as not infected with parvovirus B19 and Mycobacterium tuberculosis, 36

in chronic myeloid leukemia, STI571 (imatinib mesylate)reduces cellularity and normalizes morphologic features regardless of cytogenetic response, 360

follicular lymphoma diagnosis from biopsy specimens from, immunohistochemistry's usefulness in, 636

marginal zone lymphoma involving, comparative study of, 698 spurious dyserythropoiesis as artifact of storage of, 57

thrombopoietin administered during induction chemotherapy to patients with acute myeloid leukemia induces transient morphologic changes that may resemble chronic myeloproliferative disorders, 844

Bone neoplasms

cartilaginous lesions of the skeleton, \$3

giant cell tumor of bone, RANK (receptor activator of nuclear factor kappa B) and RANK ligand as expressed in, 210

Book Reviews, 163, 332, 492, 658, 985

Brachytherapy, influence of percentage of preradiation needle biopsies with adenocarcinoma and total radiation dose on pathologic response of unfavorable prostate adenocarcinoma, 927

Breast cancer

carcinoma, lobular neoplasia in breast core needle biopsy specimens as not associated with increased risk of ductal carcinoma in situ or invasive carcinoma, 797

cytokeratin immunohistochemical validation of sentinel node hypothesis in patients with, 729

HER-2/neu amplification in, stratification by tumor type and grade, 916

HER-2/neu expression in

assessment by immunohistochemical analysis and fluorescence in situ hybridization, comparison of HercepTest and PathVysion commercial assays, 935

formalin-fixed, paraffin-processed cell line standard for quality control of immunohistochemical assay of, 7, 81

immunohistochemistry, FISH, or ELISA for measuring, S26 interlaboratory variation in immunohistochemical determination of estrogen receptor status using a breast cancer tissue

microarray, assessment of, 723
WT1, estrogen receptor, and progesterone receptor as markers
for breast or ovarian primary sites in metastatic adenocarciioma to body fluids, 745

Bubonic plague

in bioterrorism, S116

immunohistochemical detection of Yersinia pestis, in formalinfixed, paraffin-embedded tissue, 205

C

Cancer. See also sites and types by name targeted therapeutics for, 355

Carcinoma. See also Adenocarcinoma

of breast, lobular neoplasia in breast core needle biopsy specimens as not associated with increased risk of ductal carcinoma in situ or invasive, 797

bronchioloalveolar, lung adenocarcinoma with component of, as frequently associated with foci of high-grade atypical adenomatous hyperplasia, 464 cervical, immunohistochemical localization of survivin in benign cervical mucosa, cervical dysplasia, and invasive squamous cell, 738

colorectal

deeper examination of negative biopsies, 424

high apoptotic activity and low epithelial cell proliferation with underexpression of p21^{WAF1/CIP1} and p27^{Kip1} of mucinous, comparison with well-differentiated types, 908 polyps with no initial pathologic finding, an approach to, 419

follicular variant of papillary thyroid

strict criteria for diagnosis of encapsulated, 16 why there is tendency to "overdiagnose," 19

hepatocellular, clinicopathologic and prognostic significance of the histologic activity of noncancerous liver tissue in hepatitis B virus—associated, 411

of lung, asbestos exposure in, a pathologic study of 924 unselected cases, 9, 90

ovarian. See Ovarian carcinoma

papillary, spindle cell metaplasia of thyroid, arising in association with follicular adenoma and, 199

squamous cell

atypical fibroxanthoma distinguished from, 126 of conjunctiva, human papillomavirus not detected in, 429

transitional cell of renal pelvis, diagnostic role of pelvic washings for, 444

of urinary tract, urothelial neoplasms of kidney and ureter, S36 uterine, WT1 immunoreactivity in uterine papillary serous carcinomas is different from serous ovarian carcinomas, 541

Cardiac surgery, point-of-care testing for prothrombin time, but not activated partial thromboplastin time, correlates with laboratory methods in patients receiving aprotinin or epsilon-aminocaproic acid while undergoing, 74

Carisoprodol, as unrecognized drug of abuse, 396

Cartilaginous lesions, of the skeleton, S3

Castleman disease, human herpesvirus 8 genome and HHV-8 viral interleukin-6 expression in archival cases of, without risk factors for HIV, analysis of, 268

Catenins, beta-catenin expression and its association with prognostic factors in adenocarcinoma developed in Barrett esophagus, 451

Caveolin-1, expression in ovarian carcinoma, as MDR1 independent, 225

CD3

blastic natural killer cell lymphoma/leukemia as CD3-, 41 expression in primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases, 574

CD5, expression in primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases. 574

CD10

expression in primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases, 574

follicular lymphoma diagnosis from bone marrow biopsy specimens, immunohistochemistry's usefulness in, 636

CD23, follicular lymphoma diagnosis from bone arrow biopsy specimens, immunohistochemistry's usefulness in, 636

specimens, immunonistocnemistry's useruiness in, 636 CD33, blastic natural killer cell lymphoma/leukemia as CD33+, 41

CD44, in systemic and primary cutaneous anaplastic large cell lymphoma, 276

CD44v6, expression associated with systemic anaplastic large cell lymphoma, comparison with primary cutaneous anaplastic large cell lymphoma, 276 CD56, blastic natural killer cell lymphoma/leukemia as CD56+, 41 CD57, and transient stress lymphocytosis, 819

Clor

Clor

Coa

Coa

Cole

Cor

Con

Co

Ci

C

C

CD99, immunoreactivity in atypical fibroxanthoma, a common feature of diagnostic value, 126

CD117

in gastrointestinal stromal tumors, immunohistochemical staining for, 183, 188

usefulness of anti-CD117 in flow cytometric analysis of acute leukemia, 301

Cell line standard, formalin-fixed, paraffin-processed, for quality control of immunohistochemical assay of HER-2/neu expression in breast cancer, 7, 81

Cell proliferation, high apoptotic activity and low epithelial, with underexpression of p21 WAF1/CIP1 and p27 Kip1 of mucinous carcinomas of the colorectum, comparison with well-differentiated types, 908

Cellular spindle cell tumor, S51

C-erbB-2. See HER-2/neu

Cerebrospinal fluid, flow cytometric analysis of, and its usefulness in routine clinical practice, 952

Cervical cancer. See also Papanicolaou smear

atypical glandular cells of undetermined significance, interobserver reproducibility in cervical smears and corresponding thin-layer preparations, 96

expediting screening process for, a Hong Kong experience using AutoPap primary screening system with location-guided screening capability, 437

immunohistochemical localization of survivin in benign cervical mucosa, cervical dysplasia, and invasive squamous cell carcinoma, 738

Cervical epithelial neoplasia, ASCUS in Papanicolaou smear, problems, controversies, and potential future directions, S62

Cervix, uterine

granulomas of, clinical and pathologic features, 771 in infertility evaluation, S95

CF transmembrane conductance regulator, in cystic fibrosis diagnosis, \$109

Chemoresistance. See Multidrug resistance

Chemotherapy, induction, thrombopoietin administered to patients with acute myeloid leukemia during, induces transient morphologic changes that may resemble chronic myeloproliferative disorders, 844

Chest wall, mesenchymal hamartoma of the, S13

Children

fatal cytotoxic T-cell proliferation in chronic active Epstein-Barr virus infection in, 283

pediatric laboratory medicine, 683

Chondroblastoma, \$10

Chondroid chordoma, \$20

Chondroma, S7

Chondromyxoid fibroma, S11

Chondrosarcoma, S13

Chromatography, high-pressure liquid, for heparin-induced thrombocytopenia diagnosis, 900

c-Ki-ras gene, mutation in mucinous carcinomas of the colorectum, 908

Clear cells, cytologic features of clear cell sarcoma (malignant melanoma) of soft parts, a study of fine-needle aspirates and exfoliative specimens, 217

Clinical Laboratory Fee Schedule, Medicare, estimating budgetary impact of setting at National Limitation Amount, 691

Clomiphene citrate challenge test, in infertility evaluation, S100

Clonality, heterogeneity in B-cell lymphomas arising from germinal centers, assessment by flow cytometry, 864

CoaguChek, 892

41

us

SS

ing

ing

cal

ar-

b-

10-

S

arr

m,

y

logy

Coagulation. See Activated partial thromboplastin time; Prothrombin time

Colorectal cancer

deeper examination of negative biopsies, 424

gastrointestinal stromal tumors, S56

high apoptotic activity and low epithelial cell proliferation with underexpression of p21 WAF1/CIP1 and p27 Kip1 of mucinous carcinomas of the colorectum, comparison with well-differentiated types, 908

polyps with no initial pathologic finding, an approach to, 419 Complementary DNA array, in gene expression profiling, 109

Conjunctiva, human papillomavirus DNA in malignant epithelial neoplasms of, polymerase chain reaction failing to detect, 429

Connective tissue diseases, inflammatory, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of, 316

Consultation, in-house, in surgical pathology, quantifying value of, 751

Core needle biopsy, lobular neoplasia in breast specimens as not associated with increased risk of ductal carcinoma in situ or invasive carcinoma, 797

Correspondence and Corrections, 165, 333, 493, 660, 986 Cost-benefit analysis

of neonatal point-of-care monitor, 809

willingness to pay for new technologies for Papanicolaou test technologies, 517, 524

Cryoglobulinemia, laboratory identification of, from automated blood cells counts, fresh blood samples, and blood films,

Cyclin D1, in mantle cell lymphoma

nucleated variant of, with leukemic manifestations mimicking prolymphocytic leukemia, 246

quantitative real-time reverse transcription—polymerase chain reaction analysis of, 237

Cyclooxygenase-2, up-regulation of expression in lymphocytic thyroiditis and thyroid tumors, significant correlation with inducible nitric oxide synthase, 546

Cystic fibrosis, laboratory tests for diagnosis of, \$109

Cytogenetics

precursor T-cell acute lymphoblastic leukemia in adults, agerelated immunophenotypic, cytogenetic, and molecular subsets, 252

STI571 (imatinib mesylate) reduces bone marrow cellularity and normalizes morphologic features regardless of cytogenetic response, 360

Cytokeratins

expression of cytokeratins 7 and 20 in ovarian neoplasms, 944 immunohistochemical validation of sentinel node hypothesis in patients with breast cancer, 729

reactivity in prostate adenocarcinomas with intermediate or high Gleason scores, 471

Cytology. See also Papanicolaou smear

transitional carcinoma cell of renal pelvis, diagnostic role of pelvic washings for, 444

urinary cytology associated with human polyomavirus and indinavir therapy in HIV-infected patients, 922 Cytomorphology, fine-needle aspiration in non-Hodgkin lymphoma, evaluation of cell size by flow cytometry and, 880

D

Danaparoid, and high-pressure liquid chromatography for diagnosis of heparin-induced thrombocytopenia, 900

Day 3 follicle-stimulating hormone test, in infertility evaluation, \$99

Dermatopolymyositis, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of, 316

Diagnosis, minimum risk of "overdiagnosis," 19

Diagnostic accuracý

in-house consultation in surgical pathology, quantifying value of, 751

in telepathology for routine light microscopic and frozen section diagnosis, 783

DPC4 (MAD4) gene, alterations in fine-needle aspirates of the pancreas, a molecular panel correlates with and supplements cytologic diagnosis, 755

Drugs of abuse, carisoprodol as unrecognized, 396

Drug testing, rapid spot tests for detecting presence of adulterants in urine specimens submitted for, 325

Dyserythropoiesis, spurious, 57

E

EBER in situ hybridization, and LMP1 immunohistochemical tests for detecting Epstein-Barr virus in Hodgkin lymphoma, guidelines for interpreting, 259

Effector T cells, and transient stress lymphocytosis, 819

Encephalitis, Rasmussen, a clinicopathologic and immunohistochemical study of seven patients with, 776

Enchondroma, S7

Enchondroma protuberans, \$9

Endometrium, laser capture microdissection as essential for gene expression profiling of clinically resected cancer tissues, 109

Enterococci, vancomycin-resistant, comparison of two commercially available selective media to screen for, 152

Enzyme immunoassay, for rotavirus detection, latex agglutination compared with, in fecal specimens, 392

Enzyme-linked immunosorbent assay

for Epstein-Barr virus detection, 156

for HER-2/neu measurement in breast cancer, \$26

for HER-2/neu measurement in breast cancer, 520

multiplexed fluorescent microsphere immunoassay for antibodies to pneumococcal capsular polysaccharides, 589

Enzymes, and probability-based construction of reference ranges for ratios of log-gaussian analytes, an example from automated leukocyte counts, 851

Epilepsy, in Rasmussen encephalitis, 776

Epithelioid gastric stromal tumor, S52

Epithelium, human papillomavirus associated with squamous, 429 Epstein-Barr virus

chronic active infection in childhood, fatal cytotoxic T-cell proliferation in, 283 EBV-associated B-cell lymphoproliferative disorders in angioimmunoblastic T-cell lymphoma and peripheral T-cell lymphoma, unspecified, 368

and fatal infectious mononucleosis, 582

in Hodgkin lymphoma, EBER in situ hybridization and LMP1 immunohistochemical tests for detecting, guidelines for interpreting, 259

in Rasmussen encephalitis, 776

serologic assays following acute infection, systematic study of,

Error, cytohistologic discrepancies, as means to improve pathology practice and patient outcomes, 567

Erythrocyte sedimentation rate, use of fresh blood for quality control in, 621

Esophagus. See also Barrett esophagus

gastrointestinal stromal tumors of, S57

intestinal metaplasia of, or esophagogastric junction, evidence of distinct clinical, pathologic, and histochemical staining features, 117

Esoteric laboratory tests, in pediatric laboratory medicine, 687 Estrogen receptor

interlaboratory variation in immunohistochemical determination of status of, using a breast cancer tissue microarray, assessment of, 723

as marker for breast or ovarian primary sites in metastatic adenocarcinoma to body fluids, 745 hemoglobin F measurement in RBCs, diagnostic usefulness in distinguishing hereditary persistence of fetal hemoglobin (HPFH) and hemoglobin S–HPFH from other conditions with elevated levels of hemoglobin F, 857

immunophenotyping by

anti-CD117 in flow cytometric analysis of acute leukemia, usefulness of, 301

G

B-cell non-Hodgkin lymphoma, variability of, 615 in posttransplant lymphoproliferative disorders, 24

Fluorescence in situ hybridization

and formalin-fixed, paraffin-processed cell line standard for quality control of immunohistochemical assay of HER-2/neu expression in breast cancer, 81

HER-2/neu assessment by immunohistochemical analysis and, comparison of HercepTest and PathVysion commercial assays, 935

for HER-2/neu measurement in breast cancer, S26 Follicle-stimulating hormone, in infertility evaluation, S99 Follicular lesions

follicular-patterned lesions of the thyroid, 143 follicular variant of papillary thyroid carcinoma, 16, 19 spindle cell metaplasia of thyroid, arising in association with papillary carcinoma and follicular adenoma, 199

Fractures, misdiagnosis as malignant tumor, S17 Francisella tularensis, in bioterrorism, S116

Frozen sections, telepathology for routine diagnosis of, 783

F

Fallopian tubes, in infertility evaluation, S95

Femur, polymorphic fibro-osseous lesion of the, S13

Ferritin, diurnal variation of levels of, 802

Fibrocartilaginous mesenchymoma, S13

Fibrous dysplasia, S19

Fibroxanthoma, atypical, CD99 immunoreactivity in, 126

Fine-needle aspiration biopsy

cytologic features of clear cell sarcoma (malignant melanoma) of soft parts, a study of fine-needle aspirates and exfoliative specimens, 217

of Kuttner tumor of the submandibular gland, findings of seven cases, 103

neutrophil-rich Ki-1 positive anaplastic large-cell lymphoma, a study by, 709

in non-Hodgkin lymphoma, evaluation of cell size by cytomorphology and flow cytometry, 880

of pancreas, K-ras, p53, DPC4 (MAD4) alterations in, a molecular panel correlates with and supplements cytologic diagnosis, 755

"Flat" urothelial neoplasms, S40

Flow cytometry

automated sperm concentration analysis with new flow cytometry-based device, S-FCM, 401

of cerebrospinal fluid samples and its usefulness in routine clinical practice, 952

clonal heterogeneity in B-cell lymphomas arising from germinal centers, assessment by, 864

fine-needle aspiration in non-Hodgkin lymphoma, evaluation of cell size by cytomorphology and, 880

G

Gastroesophageal reflux, and intestinal metaplasia of esophagus or esophagogastric junction, 117

Gastrointestinal stromal tumors

immunohistochemical staining for KIT in, 183, 188 morphologic, immunohistochemical, and molecular genetic features of, S49

Gene expression profiling, of clinically resected cancer tissues, laser capture microdissection as essential for, 109

Gene rearrangement, fatal infectious mononucleosis, molecular characterization of, 582

Giant cell tumor of bone, RANK (receptor activator of nuclear factor kappa B) and RANK ligand as expressed in, 210

Glandular cells, atypical, of undetermined significance, interobserver reproducibility in cervical smears and corresponding thin-layer preparations, 96

Gleason score

immunophenotypic characterization of 225 prostate adenocarcinomas with intermediate or high, 471

influence of percentage of preradiation needle biopsies with adenocarcinoma and total radiation dose on pathologic response of unfavorable prostate adenocarcinoma, 927

Gleevec. See STI571 (imatinib mesylate)

P-Glycoprotein, multidrug resistance, expression in nephroblastoma tumor cells and intratumoral capillary endothelial cells, 484

Granulomas, uterine, clinical and pathologic features, 771

Granulomatous diseases of human lung, inducible nitric oxide synthase, but not xanthine oxidase, as highly expressed in interstitial pneumonia and, 132 Grocott stain, and nested PCR compared for detecting *Histoplasma* capsulatum in tissue sections, 597

Gross cystic disease fluid protein, as marker for breast or ovarian primary sites in metastatic adenocarcinoma to body fluids, 745

Н

a,

Hamartoma, mesenchymal, of the chest wall, S13

Helicobacter pylori, and intestinal metaplasia of esophagus or esophagogastric junction, 117

Hematuria, urinary cytology associated with human polyomavirus and indinavir therapy in HIV-infected patients, 922

Hemoglobin F, flow cytometric measurement in RBCs, diagnostic usefulness in distinguishing hereditary persistence of fetal hemoglobin (HPFH) and hemoglobin S-HPFH from other conditions with elevated levels of, 857

Hemoglobin S-HPFH, and hereditary persistence of fetal hemoglobin, flow cytometric measurement of hemoglobin F in RBCs, diagnostic usefulness in distinguishing from other conditions with elevated levels of hemoglobin F, 857

Heparin, high-pressure liquid chromatography for diagnosis of heparin-induced thrombocytopenia, 900

Hepatitis B virus, clinicopathologic and prognostic significance of the histologic activity of noncancerous liver tissue in HBV-associated hepatocellular carcinoma, 411

HER-2/neu

or

a-

C-

rv-

ci-

ma

n-

logy

amplification of HER-2/neu in breast cancer, stratification by tumor type and grade, 916

assessment by immunohistochemical analysis and fluorescence in situ hybridization, comparison of HercepTest and PathVysion commercial assays, 935

formalin-fixed, paraffin-processed cell line standard for quality control of immunohistochemical assay of, 7, 81 immunohistochemistry, FISH, or ELISA for measuring, \$26

HercepTest, 935

Hereditary persistence of fetal hemoglobin, and hemoglobin S-HPFH, flow cytometric measurement of hemoglobin F in RBCs, diagnostic usefulness in distinguishing from other conditions with elevated levels of hemoglobin F, 857

Histologic activity index, clinicopathologic and prognostic significance of the histologic activity of noncancerous liver tissue in hepatitis B virus-associated hepatocellular carcinoma, 411

Histoplasma capsulatum, nested PCR and staining methods compared for detecting in tissue sections, 597

Histoplasmosis, nested PCR and staining methods compared for detecting *Histoplasma capsulatum* in tissue sections, 597 Hodgkin disease

EBER in situ hybridization and LMP1 immunohistochemical tests for detecting Epstein-Barr virus in, guidelines for interpreting, 259

follicular, a histopathologic study of, 29 practical approach to diagnosis of, \$76

Human herpesvirus 8, genome and HHV-8 viral interleukin-6 expression in archival cases of Castleman disease without risk factors for HIV, analysis of, 268

Human immunodeficiency virus infection, urinary cytology associated with human polyomavirus and indinavir therapy in patients with, 922 Human papillomavirus

immunohistochemical localization of survivin in benign cervical mucosa, cervical dysplasia, and invasive squamous cell carcinoma, 738

in malignant epithelial conjunctival neoplasms, polymerase chain reaction failing to detect, 429

Human polyomavirus, urinary cytology associated with indinavir therapy and, in HIV-infected patients, 922

Hyperplasia

lung adenocarcinoma with bronchioloalveolar carcinoma component as frequently associated with foci of high-grade atypical adenomatous, 464

thymic follicular, mucosa-associated lymphoid tissue lymphoma versus, 51

Hyperplastic polyps

negative colorectal biopsies, deeper examination of, 424 polyps with no initial pathologic finding, an approach to, 419

Hypophysitis, lymphocytic, immunocytochemical localization of mast cells in, 478

Hysterosalpingogram, in infertility evaluation, S101

Immature reticulocyte fraction, five fully automated methods for performing, comparison in diagnosis of bone marrow aplasia, 871

Immunofluorescence, indirect, for Epstein-Barr virus detection, 156 Immunohistochemistry

caveolin-1 expression in ovarian carcinoma, as MDR1 independent, 225

CD44v6 expression associated with systemic anaplastic large cell lymphoma, comparison with primary cutaneous anaplastic large cell lymphoma, 276

CD99 immunoreactivity in atypical fibroxanthoma, 126 cytokeratin 7 and 20 expression in ovarian neoplasms, 944

cytokeratin immunohistochemical validation of sentinel node hypothesis in patients with breast cancer, 729

cytologic features of clear cell sarcoma (malignant melanoma) of soft parts, a study of fine-needle aspirates and exfoliative specimens, 217

fatal cytotoxic T-cell proliferation in chronic active Epstein-Barr virus infection in childhood, 283

follicular Hodgkin lymphoma, a histopathologic study, 29

for follicular lymphoma diagnosis from bone marrow biopsy specimens, usefulness of, 636

formalin-fixed, paraffin-processed cell line standard for quality control of assay of HER-2/neu expression in breast cancer, 7, 81

of gastrointestinal stromal tumors, S49

P-glycoprotein expression in nephroblastoma tumor cells and intratumoral capillary endothelial cells, 484

HER-2/neu assessment by fluorescence in situ hybridization and, comparison of HercepTest and PathVysion commercial assays, 935

for HER-2/neu measurement in breast cancer, S26

high apoptotic activity and low epithelial cell proliferation with underexpression of p21^{WAF1/CIP1} and p27^{Kip1} of mucinous carcinomas of the colorectum, comparison with well-differentiated types, 908

in Hodgkin lymphoma diagnosis, \$78

immunocytochemical localization of mast cells in lymphocytic hypophysitis, 478

immunophenotypic characterization of 225 prostate adenocarcinomas with intermediate or high Gleason scores, 471

interlaboratory variation in immunohistochemical determination of estrogen receptor status using a breast cancer tissue microarray, assessment of, 723

for LMP1 and EBER in situ hybridization for detecting Epstein-Barr virus in Hodgkin lymphoma, guidelines for interpreting, 259

localization of survivin in benign cervical mucosa, cervical dysplasia, and invasive squamous cell carcinoma, 738

morphologic spectrum of metastatic prostatic adenocarcinoma to the lung, with special emphasis on histologic features overlapping with other pulmonary neoplasms, 552

neutrophil-rich Ki-1 positive anaplastic large-cell lymphoma, a study by fine-needle aspiration biopsy, 709

primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases, 574

RANK (receptor activator of nuclear factor kappa B) and RANK ligand as expressed in giant cell tumor of bone, 210 staining for KIT, in soft tissue sarcomas, 183, 188

tissue protection, as useful adjunct in interpretation of prostate biopsy specimens and other selected cases in which immunostains are needed on minute lesions, 194

Yersinia pestis detection, in formalin-fixed, paraffin-embedded tissue, 205

Immunohistology, Histoplasma capsulatum detection in tissue sections, staining methods and nested PCR compared for, 597

Immunoperoxidase, tissue protection immunohistochemistry, as useful adjunct in interpretation of prostate biopsy specimens and other selected cases in which immunostains are needed on minute lesions. 194

Immunophenotyping

of adult acute leukemias, relationship to morphologic and molecular classification and proposal for a minimal screening program highly predictive for lineage discrimination, 380

of blastic natural killer cell lymphoma/leukemia, a report of seven cases, 41

discrepancies in lymphoma cells obtained simultaneously from different anatomic sites, 644

by flow cytometry

anti-CD117 in analysis of acute leukemia, usefulness of, 301 B-cell non-Hodgkin lymphoma, variability of, 615 in posttransplant lymphoproliferative disorders, 24

leukemias resembling acute promyelocytic leukemia, microgranular variant, 651

precursor T-cell acute lymphoblastic leukemia in adults, agerelated immunophenotypic, cytogenetic, and molecular subsets, 252

of prostate adenocarcinomas with intermediate or high Gleason scores, 471

transient stress lymphocytosis, an immunophenotypic characterization of the most common cause of newly identified adult lymphocytosis in a tertiary hospital, 819

Immunostaining, and nested PCR compared for detecting Histoplasma capsulatum in tissue sections, 597

Indinavir sulfate, urinary cytology associated with human polyomavirus and, in HIV-infected patients, 922

Infants, newborn, neonatal point-of-care monitor, cost analysis of, 809

Infertility, evaluation of, S95

Infiltration, intrasinusoidal, in marginal zone lymphoma involving bone marrow, 698

Information for Authors, 162

In-house consultation, in surgical pathology, quantifying value of, 751

In-line monitoring, neonatal point-of-care monitor, cost analysis of, 809

In Memoriam

William Kaufmann, 491

Herbert M. Sommers, 826

In situ hybridization

caveolin-1 expression in ovarian carcinoma as MDR1 independent, 225

EBER, and LMP1 immunohistochemical tests for detecting Epstein-Barr virus in Hodgkin lymphoma, guidelines for interpreting, 259

Institute of Medicine, on budgetary impact of setting Medicare Clinical Laboratory Fee Schedule at National Limitation Amount, 691

Interlaboratory variation, in immunohistochemical determination of estrogen receptor status using a breast cancer tissue microarray, assessment of, 723

Interleukin-6, human herpesvirus 8 genome and HHV-8 viral interleukin-6 expression in archival cases of Castleman disease without risk factors for HIV, analysis of, 268

International normalized ratio, minimum number of fresh whole blood and plasma samples from patients and healthy subjects for International Sensitivity Index calibration of CoaguChek and RapidPointCoag monitors, 892

International Sensitivity Index, calibration of CoaguChek and RapidPointCoag monitors, minimum number of fresh whole blood and plasma samples from patients and healthy subjects for, 892

Interobserver variability, Papanicolaou tests diagnosed as atypical by cytotechnologist and downgraded to benign by pathologist, 520, 534

Interstitial cells of Cajal, gastrointestinal stromal tumors and, S49
Intestinal metaplasia, of esophagus or esophagogastric junction,
evidence of distinct clinical, pathologic, and histochemical
staining features, 117

Intestine, small, gastrointestinal stromal tumors of, S54

Intraepithelial neoplasia, pancreatic, MUC4 expression increases progressively in, 791

Invasive urothelial carcinoma, \$40

Iron, serum iron, iron-binding capacity, transferrin saturation, and ferritin levels, diurnal variation of, 802

Iron-binding capacity, diurnal variation of, 802

K

Karyotyping, leukemias resembling acute promyelocytic leukemia, microgranular variant, 651

Keratosis, benign lichenoid, malignant melanoma misdiagnosed as, 766

Kidney

nephroblastoma, multidrug resistance P-glycoprotein expression in tumor cells and intratumoral capillary endothelial cells, 484

- transitional carcinoma cell of renal pelvis, diagnostic role of pelvic washings for, 444
- urothelial neoplasms of, an epidemiologic, pathologic, and clinical review, \$36
- Kikuchi lymphadenitis, with oligoclonal T-cell populations, spontaneous regression of, favors a benign immune reaction over T-cell lymphoma, 627
- KIT, in soft tissue sarcomas, immunohistochemical staining for, 183, 188
- Kleihauer-Betke test, flow cytometric measurement of hemoglobin -F in RBCs compared with, 857
- K-ras oncogene, alterations in fine-needle aspirates of the pancreas, a molecular panel correlates with and supplements cytologic diagnosis, 755
- Kuttner tumor, of the submandibular gland, fine-needle aspiration cytologic findings of seven cases, 103

Laboratory medicine, pediatric, 683

- Laser capture microdissection, as essential for gene expression profiling of clinically resected cancer tissues, 109
- Latex agglutination test, for rotavirus detection, enzyme immunoassay compared with, in fecal specimens, 392
- Leiomyoma, gastrointestinal stromal tumors and, S49
- Leiomyosarcoma, gastrointestinal stromal tumors and, S49 Leukemia

acute

of.

of

thy

ı

9

cal

d

nia.

as.

sion

nology

- immunophenotype of 325 adults, relationship to morphologic and molecular classification and proposal for a minimal screening program highly predictive for lineage discrimination, 380
- usefulness of anti-CD117 in flow cytometric analysis of, 301 acute lymphoblastic, in elderly patients, Philadelphia chromosome may not be significant adverse prognostic factor, 716
- acute myeloid, thrombopoietin administered during induction chemotherapy to patients with, induces transient morphologic changes that may resemble chronic myeloproliferative disorders, 844
- acute promyelocytic, microgranular variant, leukemias resembling, 651

blastic natural killer cell, 41

- chronic myeloid, STI571 (imatinib mesylate) reduces bone marrow cellularity and normalizes morphologic features regardless of cytogenetic response, 360
- precursor T-cell acute lymphoblastic, in adults, age-related immunophenotypic, cytogenetic, and molecular subsets, 252
- prolymphocytic, nucleated variant of mantle cell lymphoma with leukemic manifestations mimicking, 246
- therapy-related acute myeloid, with balanced 21q22 translocations, 306
- Leukocytes, probability-based construction of reference ranges for ratios of log-gaussian analytes, an example from automated leukocyte counts, 851
- Lichenoid tissue reaction, in malignant melanoma, as potential diagnostic pitfall, 766
- Liver, clinicopathologic and prognostic significance of the histologic activity of noncancerous liver tissue in hepatitis B virus-associated hepatocellular carcinoma, 411

- LMP1, immunohistochemical tests and EBER in situ hybridization for detecting Epstein-Barr virus in Hodgkin lymphoma, guidelines for interpreting, 259
- Lobular neoplasia, in breast core needle biopsy specimens, as not associated with increased risk of ductal carcinoma in situ or invasive carcinoma, 797
- Location-guided screening, expediting cervical cancer screening process, a Hong Kong experience using AutoPap primary screening system with, 437
- Log-gaussian analytes, probability-based construction of reference ranges for ratios of, an example from automated leukocyte counts, 851
- Luminex multiple analyte profiling system, as multiplexed fluorescent microsphere immunoassay for antibodies to pneumococcal capsular polysaccharides, 589

Lung

adenocarcinoma of

- with bronchioloalveolar carcinoma component as frequently associated with foci of high-grade atypical adenomatous hyperplasia, 464
- morphologic spectrum of metastatic prostatic adenocarcinoma to the lung, with special emphasis on histologic features overlapping with other pulmonary neoplasms, 552
- carcinoma of, asbestos exposure in, a pathologic study of 924 unselected cases, 9, 90
- inducible nitric oxide synthase, but not xanthine oxidase, as highly expressed in interstitial pneumonia and granulomatous diseases of human, 132
- Lupus erythematosus, systemic, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of, 316
- Lymphadenitis, Kikuchi, with oligoclonal T-cell populations, spontaneous regression of, favors a benign immune reaction over T-cell lymphoma, 627
- Lymphocytes, lymphocyte-rich and lymphocyte predominance Hodgkin disease, 29
- Lymphocytosis, transient stress, an immunophenotypic characterization of the most common cause of newly identified adult lymphocytosis in a tertiary hospital, 819
- Lymphoid aggregates, in colorectal biopsy specimens, 424 Lymphoma
 - anaplastic large cell, CD44v6 expression associated with systemic, comparison with primary cutaneous, 276
 - angioimmunoblastic T-cell and peripheral T-cell, unspecified, Epstein-Barr virus-associated B-cell lymphoproliferative disorders in, 368
 - B-cell, arising from germinal centers, clonal heterogeneity in, assessment by flow cytometry, 864

blastic natural killer cell, 41

- cutaneous diffuse large B-cell, primary, a clinicopathologic study of 15 cases, 574
- follicular, immunohistochemistry's usefulness for diagnosing from bone marrow biopsy specimens, 636

Hodgkin. See Hodgkin disease

human herpesvirus 8 genome and HHV-8 viral interleukin-6 expression in Castleman disease and risk for, 268

mantle cell

- nucleated variant of, with leukemic manifestations mimicking prolymphocytic leukemia, 246
- quantitative real-time reverse transcription—polymerase chain reaction analysis of cyclin D1 expression in diagnosis of, 237

marginal zone, involving bone marrow, comparative study of, 698 mucosa-associated lymphoid tissue of thymus, hyperplasia versus, 51

non-Hodgkin

B-cell, immunophenotypic variability of, a retrospective study of cases analyzed by flow cytometry, 615

fine-needle aspiration in, evaluation of cell size by cytomorphology and flow cytometry, 880

immunophenotypic discrepancies in samples obtained simultaneously from different anatomic sites, 644

neutrophil-rich Ki-1 positive anaplastic large-cell, a study by fine-needle aspiration biopsy, 709

T-cell, Kikuchi lymphadenitis with oligoclonal T-cell populations, spontaneous regression of, favors a benign immune reaction over, 627

Lymphoproliferative disorders

Epstein-Barr virus-associated B-cell, in angioimmunoblastic T-cell lymphoma and peripheral T-cell lymphoma, unspecified, 368

fatal cytotoxic T-cell proliferation in chronic active Epstein-Barr virus infection in childhood, 283

posttransplant, flow cytometric immunophenotyping in, 24 transient stress lymphocytosis, 819

Lymphoscintigraphy, cytokeratin immunohistochemical validation of sentinel node hypothesis in patients with breast cancer, 729

M

Maffucci syndrome, S9

Mast cells, in lymphocytic hypophysitis, immunocytochemical localization of, 478

MDR1, caveolin-1 expression in ovarian carcinoma, as independent of, 225

Medicare Clinical Laboratory Fee Schedule, estimating budgetary impact of setting at National Limitation Amount, 691

Megakaryocytes, thrombopoietin administered during induction chemotherapy to patients with acute myeloid leukemia induces transient morphologic changes that may resemble chronic myeloproliferative disorders, 844

Melanoma, malignant

atypical fibroxanthoma distinguished from, 126

cytologic features of clear cell sarcoma (malignant melanoma) of soft parts, a study of fine-needle aspirates and exfoliative specimens, 217

lichenoid tissue reaction in, a potential diagnostic pitfall, 766

Memory T cells, and transient stress lymphocytosis, 819

Meprobamate, drug screening for, 396

Mesenchymal hamartoma of the chest wall, S13

Messenger RNA, caveolin-1 expression in ovarian carcinoma as MDR1 independent, 225

Metaplasia

intestinal, of esophagus or esophagogastric junction, evidence of distinct clinical, pathologic, and histochemical staining features, 117

spindle cell, of thyroid, arising in association with papillary carcinoma and follicular adenoma, 199

Metastasis

cytokeratin immunohistochemical validation of sentinel node hypothesis in patients with breast cancer, 729 morphologic spectrum of metastatic prostatic adenocarcinoma to the lung, with special emphasis on histologic features overlapping with other pulmonary neoplasms, 552

tumors metastatic to bone, S21

WT1, estrogen receptor, and progesterone receptor as markers for breast or ovarian primary sites in metastatic adenocarcinoma to body fluids, 745

Microarray, tissue, interlaboratory variation in immunohistochemical determination of estrogen receptor status using a breast cancer, assessment of, 723

Micrometastasis, cytokeratin immunohistochemical validation of sentinel node hypothesis in patients with breast cancer, 729

Microscopy

fluorescent, for detecting *Histoplasma capsulatum* in tissue sections. 597

light, telepathology for routine diagnosis with, 783

Mixing studies, a "percentage correction" formula for evaluation of, 62

Molecular genetics, of gastrointestinal stromal tumors, S49 Molecular techniques

K-ras, p53, DPC4 (MAD4) alterations in fine-needle aspirates of the pancreas, a molecular panel correlates with and supplements cytologic diagnosis, 755

precursor T-cell acute lymphoblastic leukemia in adults, agerelated immunophenotypic, cytogenetic, and molecular subsets, 252

Mononucleosis, infectious

and Epstein-Barr virus infection, 156

fatal, molecular characterization of, 582

MUC4 apomucin, expression increases progressively in pancreatic intraepithelial neoplasia, 791

Mucin

and intestinal metaplasia of esophagus or esophagogastric junction, 117

MUC4 expression increases progressively in pancreatic intraepithelial neoplasia, 791

Mucosa-associated lymphoid tissue (MALT)

MALT lymphoma, 698

of thymus, hyperplasia versus lymphoma, 51

Multidrug resistance

caveolin-1 expression and, 225

P-glycoprotein expression in nephroblastoma tumor cells and intratumoral capillary endothelial cells, 484

Mycobacterium tuberculosis, bone marrow samples from patients with aplastic anemia, as not infected with parvovirus B19 and, 36

Myelodysplasia

spurious dyserythropoiesis as artifact of bone marrow storage, 57 therapy-related, with balanced 21q22 translocations, 306

Myeloproliferative disorders, chronic, thrombopoietin administration during induction chemotherapy to patients with acute myeloid leukemia induces transient morphologic changes that may resemble, 844

N

Naive T cells, and transient stress lymphocytosis, 819
Natural killer cells, lymphomas and leukemias of, a report of seven cases, 41

Needle biopsy. See also Fine-needle aspiration biopsy

influence of percentage of preradiation with adenocarcinoma and total radiation dose on pathologic response of unfavorable prostate adenocarcinoma, 927

lobular neoplasia in breast specimens as not associated with increased risk of ductal carcinoma in situ or invasive carcinoma, 797

tissue protection immunohistochemistry, as useful adjunct in interpretation of prostate biopsy specimens and other selected cases in which immunostains are needed on minute lesions, 194

Neoplasms. See sites and types by name

Nephroblastoma, multidrug resistance P-glycoprotein expression in tumor cells and intratumoral capillary endothelial cells, 484

News and Notices, 169, 337, 497, 665, 827

Nitric oxide synthase, inducible

but not xanthine oxidase, as highly expressed in interstitial pneumonia and granulomatous diseases of human lung, 132

up-regulation of cyclooxygenase-2 expression in lymphocytic thyroiditis and thyroid tumors, significant correlation with, 546

Nitrite, as adulterant in urine specimens submitted for drug testing, 325

Nora lesion (bizarre parosteal osteochondromatous proliferation), S18

0

a

S

rci-

ni-

ast

729

on

up-

tic

ep-

d

ts

19

, 57

es

ven

nology

Oligoclonality, Kikuchi lymphadenitis with oligoclonal T-cell populations, spontaneous regression of, favors a benign immune reaction over T-cell lymphoma, 627

Ollier disease, S9

Osteoblastoma, \$19

Osteochondroma, S5

Osteoid osteoma, S19

Osteosarcoma, chondroblastic type, S20

Ovarian carcinoma

caveolin-1 expression in, as MDR1 independent, 225 cytokeratin 7 and 20 expression in, 944

WT1, estrogen receptor, and progesterone receptor as markers for breast or ovarian primary sites in metastatic adenocarcinoma to body fluids, 745

WT1 immunoreactivity in uterine papillary serous carcinomas is different from serous, 541

Ovarian reserve, in infertility evaluation, S99

Ovulation, in infertility evaluation, S95

Oxygen radical, inducible nitric oxide synthase, but not xanthine oxidase, as highly expressed in interstitial pneumonia and granulomatous diseases of human lung, 132

P

p21 WAFT/CIP1, high apoptotic activity and low epithelial cell proliferation with underexpression of p27 Kip1 and, in mucinous carcinomas of the colorectum, comparison with well-differentiated types, 908 p27^{Kip1}, high apoptotic activity and low epithelial cell proliferation with underexpression of p21^{WAF1/CIP1} and, in mucinous carcinomas of the colorectum, comparison with well-differentiated types, 908

p53 gene, alterations in fine-needle aspirates of the pancreas, a molecular panel correlates with and supplements cytologic diagnosis, 755

p53 protein, expression in primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases, 574

Pancreas

K-ras, p53, DPC4 (MAD4) alterations in fine-needle aspirates of the, a molecular panel correlates with and supplements cytologic diagnosis, 755

MUC4 expression increases progressively in pancreatic intraepithelial neoplasia, 791

Papanicolaou smear

ASCUS in, problems, controversies, and potential future directions, \$62

atypical glandular cells of undetermined significance, interobserver reproducibility in cervical smears and corresponding thin-layer preparations, 96

expediting cervical cancer screening process, a Hong Kong experience using AutoPap primary screening system with location-guided screening capability, 437

tests diagnosed as atypical by cytotechnologist and downgraded to benign by pathologist, 520, 534

unsatisfactory ThinPrep specimens, as missed opportunity for disease detection, 457

willingness to pay for new technologies for, 517, 524

Papillary urothelial neoplasms, S38

Papillomas, squamous cell, of conjunctiva, human papillomavirus not detected in, 429

Parvovirus B19, bone marrow samples from patients with aplastic anemia, as not infected with *Mycobacterium tuberculosis* and, 36

PathVysion, 935

Patient outcomes, cytohistologic discrepancies, as means to improve pathology practice and, 567

Patient preference, in cervical cytology screening, 517, 524

Pediatric laboratory medicine, current challenges and future opportunities, 683

Pelvic washings, diagnostic role of, for transitional carcinoma cell of renal pelvis, 444

Periosteal chondroma, S9

Periosteal osteosarcoma, \$20

Peritoneum, in infertility evaluation, S95

Philadelphia (Ph) chromosome, as not a significant adverse prognostic factor in acute lymphoblastic leukemia in elderly patients, 716

Pituitary gland, immunocytochemical localization of mast cells in lymphocytic hypophysitis, 478

Plague, bubonic. See Bubonic plague

Plasma, a "percentage correction" formula for evaluation of mixing studies, 62

Flatelets, high-pressure liquid chromatography for diagnosis of heparin-induced thrombocytopenia, 900

Pneumococci, multiplexed fluorescent microsphere immunoassay for antibodies to pneumococcal capsular polysaccharides, 589

Pneumonia, interstitial, inducible nitric oxide synthase, but not xanthine oxidase, as highly expressed in granulomatous diseases of human lung and, 132 Point-of-care testing

neonatal point-of-care monitor, cost analysis of, 809 in pediatric laboratory medicine, 684

of prothrombin time

but not activated partial thromboplastin time, correlates with laboratory methods in patients receiving aprotinin or epsilon-aminocaproic acid while undergoing cardiac surgery, 74

minimum number of fresh whole blood and plasma samples from patients and healthy subjects for International Sensitivity Index calibration of CoaguChek and RapidPointCoag monitors, 892

Polymerase chain reaction

fatal infectious mononucleosis, molecular characterization of, 582

human papillomavirus DNA in malignant epithelial neoplasms of conjunctiva not detected by, 429

nested, for *Histoplasma capsulatum* detection in tissue sections, staining methods compared with, 597

reverse-transcription

caveolin-1 expression in ovarian carcinoma as MDR1 independent, 225

of cyclin D1 expression in mantle cell lymphoma, 237 Polymorphic fibro-osseous lesion of the femur, \$13

Polyps, colonic

negative colorectal biopsies, deeper examination of, 424 with no initial pathologic finding, an approach to, 419

Posttransplant lymphoproliferative disorders, flow cytometric immunophenotyping in, 24

Potassium nitrite, as adulterant in urine specimens submitted for drug testing, 325

Preanalytic factors, in pediatric laboratory medicine, 685

Progesterone receptor, as marker for breast or ovarian primary sites in metastatic adenocarcinoma to body fluids, 745

Progressive transformation of germinal centers, Hodgkin lymphoma mistaken for, S76

Prostate cancer

adenocarcinoma

immunophenotypic characterization of 225, with intermediate or high Gleason scores, 471

influence of percentage of preradiation needle biopsies and total radiation dose on pathologic response of unfavorable, 927

morphologic spectrum of metastatic prostatic adenocarcinoma to the lung, with special emphasis on histologic features overlapping with other pulmonary neoplasms, 552

biopsies for, tissue protection immunohistochemistry, as useful adjunct in interpretation of biopsy specimens, 194 prostate-specific antigen and early diagnosis of, S104

Prostate-specific antigen

and early diagnosis of prostate cancer, \$104

influence of percentage of preradiation needle biopsies with adenocarcinoma and total radiation dose on pathologic response of unfavorable prostate adenocarcinoma, 927

Protein gene product 9.5, immunoreactivity in atypical fibroxanthoma, 126

Prothrombin time

a "percentage correction" formula for evaluation of mixing studies, 62

point-of-care testing of

but not activated partial thromboplastin time, correlates with laboratory methods in patients receiving aprotinin or epsilon-aminocaproic acid while undergoing cardiac surgery, 74

minimum number of fresh whole blood and plasma samples from patients and healthy subjects for International Sensitivity Index calibration of CoaguChek and RapidPointCoag monitors, 892

Pyridinium chlorochromate, as adulterant in urine specimens submitted for drug testing, 325

0

Quality control

cytohistologic discrepancies, as means to improve pathology practice and patient outcomes, 567

for erythrocyte sedimentation rate, use of fresh blood for, 621 of immunohistochemical assay of HER-2/neu expression in breast cancer, formalin-fixed, paraffin-processed cell line standard for, 7, 81

in-house consultation in surgical pathology, quantifying value of, 751

Papanicolaou tests diagnosed as atypical by cytotechnologist and downgraded to benign by pathologist, 520, 534

serum iron, iron-binding capacity, transferrin saturation, and ferritin levels, diurnal variation of, 802

R

Radiation therapy, influence of percentage of preradiation needle biopsies with adenocarcinoma and total radiation dose on pathologic response of unfavorable prostate adenocarcinoma, 927

RANK (receptor activator of nuclear factor kappa B), and RANK ligand as expressed in, giant cell tumor of bone, 210

RapidPointCoag monitor, 892

Rasmussen encephalitis, a clinicopathologic and immunohistochemical study of seven patients with, 776

Reference intervals, age-specific, 686

Reference ranges, for ratios of log-gaussian analytes, probabilitybased construction of, an example from automated leukocyte counts, 851

Renal pelvis, transitional carcinoma cell of, diagnostic role of pelvic washings for, 444

Rheumatic diseases, autoimmune, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of, 316

Richter transformation, and Hodgkin lymphoma diagnosis, S76 Rotaviruses, latex agglutination and enzyme immunoassay compared for detection of, in fecal specimens, 392

S

Salivary glands, Kuttner tumor of the submandibular gland, fineneedle aspiration cytologic findings of seven cases, 103 Sarcoidosis, inducible nitric oxide synthase, but not xanthine oxidase, as highly expressed in interstitial pneumonia and granulomatous diseases of human lung, 132

chondrosarcoma, S13

osteosarcoma, \$20

soft tissue

cytologic features of clear cell sarcoma (malignant melanoma) of soft parts, a study of fine-needle aspirates and exfoliative specimens, 217

immunohistochemical staining for KIT in, 183, 188 spindle cell, S51

Sclerosis, systemic, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of, 316

Screening

adult acute leukemias, immunophenotype of, relationship to morphologic and molecular classification and proposal for a minimal screening program highly predictive for lineage discrimination, 380

cervical cancer, expediting process for, a Hong Kong experience using AutoPap primary screening system with locationguided screening capability, 437

cystic fibrosis, \$109

prostate cancer, prostate-specific antigen for, \$104

Second opinions, in-house consultation in surgical pathology, quantifying value of, 751

Semen, in infertility evaluation, S95

Serotonin, high-pressure liquid chromatography for diagnosis of heparin-induced thrombocytopenia, 900

Sialadenitis, chronic sclerosing, of the submandibular gland, fine-needle aspiration cytologic findings of seven cases,

Sjögren syndrome, guidelines for laboratory use of autoantibody tests in diagnosis and monitoring of, 316

Skeleton, cartilaginous lesions of the, S3

Skin. See also Melanoma

blastic natural killer cell lymphoma/leukemia of, 41 primary cutaneous diffuse large B-cell lymphoma, a clinicopathologic study of 15 cases, 574

Smallpox, in bioterrorism, S116

Smoking, and asbestos exposure in lung cancer, 9

Southern blot analysis, fatal infectious mononucleosis, molecular characterization of, 582

Sperm counting, automated sperm concentration analysis with new flow cytometry-based device, S-FCM, 401

Spindle cells, metaplasia of thyroid arising in association with papillary carcinoma and follicular adenoma, 199

Spindle cell sarcoma, S51

Spleen, marginal zone lymphoma of, 698

Spot tests, for detecting adulterants in urine specimens submitted for drug testing, 325

Squamous intraepithelial lesion

ASCUS in Papanicolaou smear, problems, controversies, and potential future directions, S62

immunohistochemical localization of survivin in benign cervical mucosa, cervical dysplasia, and invasive squamous cell carcinoma, 738

STI571 (imatinib mesylate)

for chronic myeloid leukemia, as reducing bone marrow cellularity and normalizing morphologic features regardless of cytogenetic response, 360

for gastrointestinal stromal tumor treatment, 183, 188 as targeted therapy, 355

Stomach, gastrointestinal stromal tumors of, \$50

Streptococcus pneumoniae, multiplexed fluorescent microsphere immunoassay for antibodies to pneumococcal capsular polysaccharides, 589

Submandibular gland, Kuttner tumor of the, fine-needle aspiration cytologic findings of seven cases, 103

Subungual exostosis, \$18

Surgical pathology, in-house consultation in, quantifying value of, 751 Survivin, immunohistochemical localization of, in benign cervical

mucosa, cervical dysplasia, and invasive squamous cell carcinoma, 738

Sweat test, in cystic fibrosis diagnosis, S109

t(11;14)(q13;q32) translocation, in mantle cell lymphoma, 237, 246

Targeted therapeutics, advent of, and implications for pathologists,

Telepathology, for routine light microscopic and frozen section diagnosis, 783

Terrorism, biological, clinical recognition and primary management of, \$116

TEST 1 automated system, using fresh blood samples for quality control with, 621

Therapy-related diseases, acute myeloid leukemia and myelodysplasia, with balanced 21q22 translocations, 306

Thin-layer preparations, atypical glandular cells of undetermined significance, interobserver reproducibility in cervical smears and corresponding, 96

ThinPrep Pap Test, unsatisfactory specimens for, as missed opportunity for disease detection, 457

Thrombocytopenia, heparin-induced, high-pressure liquid chromatography for diagnosis of, 900

Thrombopoietin, administration during induction chemotherapy to patients with acute myeloid leukemia induces transient morphologic changes that may resemble chronic myeloproliferative disorders, 844

Thymus, mucosa-associated lymphoid tissue of, hyperplasia versus lymphoma, 51

Thyroid gland

follicular-patterned lesions of, 143

follicular variant of papillary thyroid carcinoma strict criteria for diagnosis of encapsulated, 16 why there is tendency to "overdiagnose," 19

spindle cell metaplasia of, arising in association with papillary carcinoma and follicular adenoma, 199

up-regulation of cyclooxygenase-2 expression in lymphocytic thyroiditis and tumors of, significant correlation with inducible nitric oxide synthase, 546

Thyroiditis, lymphocytic, up-regulation of cyclooxygenase-2 expression in thyroid tumors and, significant correlation with inducible nitric oxide synthase, 546

Tietze syndrome, S18

Tissue microarray, interlaboratory variation in immunohistochemical determination of estrogen receptor status using a breast cancer, assessment of, 723

ology

Tissue protection immunohistochemistry, as useful adjunct in interpretation of prostate biopsy specimens and other selected cases in which immunostains are needed on minute lesions, 194

T lymphocytes

cytotoxic, proliferation in chronic active Epstein-Barr virus infection in childhood, 283

flow cytometric analysis of cerebrospinal fluid samples and its usefulness in routine clinical practice, 952

in transient stress lymphocytosis, 819

Transferrin, diurnal variation of saturation of, 802

Transplantation, posttransplant lymphoproliferative disorders, flow cytometric immunophenotyping in, 24

Tularemia, in bioterrorism, S116

Tumors. See sites and types by name

21q22 translocations, therapy-related acute myeloid leukemia and myelodysplasia, with balanced, 306

U

Ureter, urothelial neoplasms of, an epidemiologic, pathologic, and clinical review, \$36

Urinalysis, rapid spot tests for detecting presence of adulterants in specimens submitted for drug testing, 325

Urinary cytology, associated with human polyomavirus and indinavir therapy in HIV-infected patients, 922

Urinary tract

transitional carcinoma cell of renal pelvis, diagnostic role of pelvic washings for, 444

urothelial neoplasms of kidney and ureter, an epidemiologic, pathologic, and clinical review, \$36

Urothelial neoplasms, of kidney and ureter, an epidemiologic, pathologic, and clinical review, S36

Uterus. See also Cervix, uterine

granulomas of, clinical and pathologic features, 771 in infertility evaluation, S95

WT1 immunoreactivity in uterine papillary serous carcinomas is different from serous ovarian carcinomas, 541

V

Vaccines, pneumococcal, 589

Vancomycin-resistant enterococci, comparison of two commercially available selective media to screen for, 152

Variola virus, in bioterrorism, S116

W

Westergren ESR method, TEST 1 automated system compared with, 621

World Health Organization (WHO) classification of hematopoietic and lymphoid tissues, Hodgkin lymphoma in, S78

WTI

immunoreactivity in uterine papillary serous carcinomas is different from serous ovarian carcinomas, 541

as marker for breast or ovarian primary sites in metastatic adenocarcinoma to body fluids, 745

X

Xanthine oxidase, inducible nitric oxide synthase, but not, as highly expressed in interstitial pneumonia and granulomatous diseases of human lung, 132

1

Yersinia pestis

in bioterrorism, S116

immunohistochemical detection of, in formalin-fixed, paraffinembedded tissue, 205

